

# Add, subtract and multiply: Meta-analyses of brain correlates of arithmetic operations in children and adults

Asya Istomina<sup>a,\*</sup>, Marie Arsalidou<sup>b,c,\*</sup>

<sup>a</sup> HSE University, the Russian Federation

<sup>b</sup> NeuroPsyLab, Canada

<sup>c</sup> York University, Toronto, Canada

## ARTICLE INFO

### Keywords:

Meta-analysis  
Arithmetic  
Mathematics  
Calculation  
Children  
Adults  
Fronto-parietal network  
Cingulo-opercular network

## ABSTRACT

Mathematical operations are cognitive actions we take to calculate relations among numbers. Arithmetic operations, addition, subtraction, multiplication, and division are elemental in education. Addition is the first one taught in school and is most popular in functional magnetic resonance imaging (fMRI) studies. Division, typically taught last is least studied with fMRI. fMRI meta-analyses show that arithmetic operations activate brain areas in parietal, cingulate and insular cortices for children and adults. Critically, no meta-analysis examines concordance across brain correlates of separate arithmetic operations in children and adults. We review and examine using quantitative meta-analyses data from fMRI articles that report brain coordinates separately for addition, subtraction, multiplication, and division in children and adults. Results show that arithmetic operations elicit common areas of concordance in fronto-parietal and cingulo-opercular networks in adults and children. Between operations differences are observed primarily for adults. Interestingly, higher within-group concordance, expressed in activation likelihood estimates, is found in brain areas associated with the cingulo-opercular network rather than the fronto-parietal network in children, areas also common between adults and children. Findings are discussed in relation to constructivist cognitive theory and practical directions for future research.

## 1. Introduction

Children typically start elementary school with a basic understanding of numbers. In the next four years of schooling, they learn to add, subtract, multiply and divide, usually in that order. Many behavioral studies examine the mechanisms of learning mathematical operations (e.g., Lemaire and Siegler, 1995; Barrouillet et al., 2008), as they form the foundations for future academic performance (Shalev et al., 2005; Watts et al., 2014). Mathematical operations encompass a broader range of operations beyond basic arithmetic. Basic arithmetic operations involve addition, subtraction, multiplication, and division. Many functional Magnetic Resonance Imaging (fMRI) studies examine the brain correlates of mathematical processes such as numerical cognition in adults (Arsalidou and Taylor, 2011; Pollack and Ashby, 2018; Hawes et al., 2019; Sokolowski et al., 2023 for meta-analyses) and children (Pollack and Ashby, 2018; Arsalidou et al., 2018 for meta-analyses). Some of these meta-analyses examine the brain correlates of

arithmetic operations in adults, identifying concordance in prefrontal, parietal, cingulate and insular cortices (Arsalidou and Taylor, 2011; Pollack and Ashby, 2018; Hawes et al., 2019; Sokolowski et al., 2023). Meta-analyses of arithmetic operations in children show activation in parietal, cingulate and insular cortices, but not prefrontal cortices (Arsalidou et al., 2018; Pollack and Ashby, 2018). Critically, no review or meta-analysis to date examines concordance of separate arithmetic operations in children. As different arithmetic operations are said to rely on different strategies (e.g., addition and multiplication on retrieval, and subtraction on procedural; Grabner and De Smedt, 2011), it may be reasonable to expect that arithmetic operations may have some differences in brain representation. However, developmental cognitive theory suggest that learning relies on effortful attentional processes that can be applied during problem solving regardless of operations, and brain representation should be comparable when attentional requirements are comparable (Pascual-Leone, 1970; Agostino et al., 2010; Pascual-Leone et al., 2010). The current paper systematically reviews the adult and

\* Correspondence to: 3 Krivokolenny Pereulok, Room K3-205, Moscow, the Russian Federation.

E-mail addresses: [asya.istomina@yahoo.com](mailto:asya.istomina@yahoo.com) (A. Istomina), [marie.arsalidou@gmail.com](mailto:marie.arsalidou@gmail.com), [arsalido@yorku.ca](mailto:arsalido@yorku.ca), [marie.arsalidou@neuropsychlab.com](mailto:marie.arsalidou@neuropsychlab.com) (M. Arsalidou).

<sup>1</sup> 0000-0001-6446-6078

<sup>2</sup> 0000-0001-9879-3894

<https://doi.org/10.1016/j.dcn.2024.101419>

Received 2 October 2023; Received in revised form 24 May 2024; Accepted 21 July 2024

Available online 26 July 2024

1878-9293/© 2024 The Authors. Published by Elsevier Ltd. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).




Fig. 1. PRISMA flowchart showing the stages of searching for articles for this study (template by Page et al., 2021), n = number of papers, TD =typically developing.

children fMRI literature on arithmetic operations and maps concordant brain areas across eligible articles using quantitative meta-analyses.

The four adult-focused meta-analyses generally reveal a set of concordant regions in parietal, prefrontal, cingulate and insular cortices (Arsalidou and Taylor, 2011; Pollack and Ashby, 2018; Hawes et al., 2019; Sokolowski et al., 2023). Children-focused fMRI work is less extensive. A review by Peters and De Smedt (2018) proposes that mathematical cognition in children implicates parietal, and temporal brain areas. Some suggest that prefrontal cortical activity exhibits a comparatively reduced magnitude when directly contrasted with that of adults, as highlighted in previous studies (Davis et al., 2009; Kucian et al., 2008). Notably, two quantitatively meta-analyses that explore fMRI data from studies that examined brain responses to arithmetic

operations in children identify cingulate, insular and parietal cortices, but not prefrontal and temporal regions (Pollack and Ashby, 2018; Arsalidou et al., 2018). Specifically, Pollack and Ashby report concordance in the left superior frontal gyrus (Brodmann area (BA) 6), right medial frontal gyrus (BA 8), cingulate gyrus (BA 32), and the right insula (BA 13). Arsalidou et al. (2018), in addition to the aforementioned areas in cingulate and insular cortices, report concordance in the parietal cortex. Specifically, left precuneus (BA 19) and inferior parietal lobule (BA 40), encompassing parts of the inferior parietal sulcus and angular gyrus (BA 39), alongside the right precuneus (BA 7).

One early adult meta-analysis examined separately concordance of addition, subtraction and multiplication (Arsalidou and Taylor, 2011). Specifically, addition tasks elicit concordant activation in visual areas,

**Table 1**  
List of eligible articles with children.

|     | Author        | Year  | Sample |     |      |                                                         | Contrast                                                                                                                                                                                                                | Contrast type:<br>(ADD, SUB, MUL)      |
|-----|---------------|-------|--------|-----|------|---------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
|     |               |       | N      | F   | Hand | Age                                                     |                                                                                                                                                                                                                         |                                        |
| 1.  | Kawashima     | 2004  | 8      | 4   | R    | Range 9 – 14<br>Mean 11.6                               | Addition > Baseline control<br>Subtraction > Baseline control<br>Multiplication > Baseline control                                                                                                                      | ADD<br>SUB<br>MUL                      |
| 2.  | Davis         | 2009b | 27     | 14  | n/r  | Range 7.1 – 9.4<br>Mean 8.1                             | Single-digit exact calculation > Control task<br>Double-digit exact calculation > Control task<br>Single Digit Approximation > Control task<br>Double Digit Approximation > Control task                                | ADD<br>ADD<br>ADD<br>ADD               |
| 3.  | Davis         | 2009b | 24     | 12  | n/r  | Range 8.1 – 9.1<br>Mean 8.2                             | Exact calculation task > Control task (Greek letter matching)<br>Approximate calculation task Control task (Greek letter matching)                                                                                      | ADD<br>ADD                             |
| 4.  | Meintjes      | 2010  | 16     | n/r | R    | Range 8 – 12<br>Mean n/r                                | Exact addition > Control task                                                                                                                                                                                           | ADD                                    |
| 5.  | Rosenberg-Lee | 2011  | 90     | 39  | R    | Range 7.03 – 8.4<br>and 7.9 – 9.4<br>Mean 7.67 and 8.67 | Complex addition > Simple addition                                                                                                                                                                                      | ADD                                    |
| 6.  | Krinzinger    | 2011  | 20     | 9   | n/r  | Range 6 – 12<br>Mean n/r                                | Symbolic exact addition > Control task<br>Non-symbolic exact addition > Control task                                                                                                                                    | ADD<br>ADD                             |
| 7.  | Ashkenazi     | 2012  | 17     | 11  | n/r  | Range 7 – 9<br>Mean 8.12                                | Complex addition > Simple addition                                                                                                                                                                                      | ADD                                    |
| 8.  | Cho           | 2012  | 86     | n/r | R    | Range 7 – 9<br>Mean 7.7                                 | Standard addition > Control task («Plus 1» addition)                                                                                                                                                                    | ADD                                    |
| 9.  | Du            | 2013  | 19     | 10  | n/r  | Range 10.12 – 11.26<br>Mean 10.62                       | Approximate addition > Control task (Exact addition)                                                                                                                                                                    | ADD                                    |
| 10. | Metcalfe      | 2013  | 74     | 40  | R    | Range 7 – 9<br>Mean 7.8                                 | Complex addition > Control addition                                                                                                                                                                                     | ADD                                    |
| 11. | Qin           | 2014  | 28     | 13  | n/r  | Range 7 – 11<br>Mean n/r                                | Addition > Control collapsing across Time–1<br>and Time–2                                                                                                                                                               | ADD                                    |
| 12. | Prado         | 2014  | 34     | 21  | n/r  | Range 8.47 – 13.56<br>Mean 11.54                        | Large subtraction > Small subtraction<br>Small subtraction > Baseline<br>Large multiplication > Small multiplication                                                                                                    | SUB<br>SUB<br>MUL                      |
| 13. | Iuculano      | 2015  | 15     | 8   | n/r  | Range 7.5 – 9.6<br>Mean n/r                             | Arithmetic problem solving before tutoring > Arithmetic problem solving after tutoring                                                                                                                                  | ADD                                    |
| 14. | Berteletti    | 2015  | 39     | 22  | n/r  | Range 8.5 – 13.7<br>Mean 11.4                           | Large subtraction > Small subtraction                                                                                                                                                                                   | SUB                                    |
| 15. | Demir         | 2015  | 40     | 23  | R    | Range 9 – 12<br>Mean 10.9                               | Subtraction large > Baseline<br>Subtraction small > Baseline                                                                                                                                                            | SUB<br>SUB                             |
| 16. | Demir-Lira    | 2016  | 33     | 20  | n/r  | Range 8 – 13<br>Mean 10.9                               | Subtraction task > Baseline                                                                                                                                                                                             | SUB                                    |
| 17. | Chang         | 2016  | 25     | 14  | R    | Range 7.7 – 10.7<br>Mean 8.8                            | Complex subtraction > Number Identification                                                                                                                                                                             | SUB                                    |
| 18. | Peters        | 2016  | 22     | 10  | 5 L  | Range 9 – 12<br>Mean 10.73                              | Subtraction Digits > Fixation<br>Subtraction Words > Fixation<br>Subtraction Dots > Fixation<br>Subtraction Dots > Subtraction Digits<br>Subtraction Dots > Subtraction Words<br>Subtraction Words > Subtraction Digits | SUB<br>SUB<br>SUB<br>SUB<br>SUB<br>SUB |
| 19. | Soylu         | 2018  | 24     | 12  | n/r  | Range 8.1 – 8.7<br>Mean 8.4                             | Addition problems > Baseline<br>Subtraction problems > Baseline                                                                                                                                                         | ADD<br>SUB                             |
| 20. | Rosenberg-Lee | 2018  | 15     | 5   | R    | Range 8 – 9<br>Mean 8.8                                 | Pre-Post training: Arithmetic verification task > Control                                                                                                                                                               | ADD                                    |
| 21. | Polspoel      | 2019  | 20     | 15  | 4 L  | Range 9.33 – 10.76<br>Mean 9.79                         | Multiplication verification task > Jittered inter-trial interval                                                                                                                                                        | MUL                                    |
| 22. | Matejko       | 2019  | 42     | 20  | 2 L  | Range 7.5 – 10.4<br>Mean 9.2                            | Addition task: large problem > Plus 1 Problem<br>Addition task: small problem > Plus 1 Problem                                                                                                                          | ADD<br>ADD                             |
| 23. | Wakefield     | 2019  | 20     | 12  | R    | Range 7 – 9                                             | Mathematical equivalence problems > Rest                                                                                                                                                                                | ADD                                    |

(continued on next page)

Table 1 (continued)

| Author                | Year | Sample |    | Hand | Age                                    | Contrast                                                                                                                                                                                                                                                                                                                                                                                                                                        | Contrast type:<br>(ADD, SUB, MUL) |
|-----------------------|------|--------|----|------|----------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|
|                       |      | N      | F  |      |                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                                   |
| 24. Demir-Lira        | 2020 | 59     | 29 | n/r  | Mean 8<br>Range 9 – 12<br>Mean 11.2    | Single-digit multiplication problems > Baseline                                                                                                                                                                                                                                                                                                                                                                                                 | MUL                               |
| 25. Clark             | 2020 | 13     | 9  | n/r  | Range 8 – 11<br>Mean 9.71              | Binary and decimal block > Baseline rest                                                                                                                                                                                                                                                                                                                                                                                                        | ADD                               |
| 26. Newman            | 2021 | 43     | 21 | n/r  | Range n/r<br>Mean 8.3                  | 2 groups:<br>Structured Block play group, The Blocks Rock! Game: Pre > Post training                                                                                                                                                                                                                                                                                                                                                            | ADD<br>SUB<br>SUB                 |
| 27. Suárez-Pellicioni | 2021 | 50     | 26 | R    | Mean 8.38<br>Range n/r<br>Mean 8.29    | Free Block play group, The Blocks Rock! Game: Pre > Post training                                                                                                                                                                                                                                                                                                                                                                               | MUL                               |
| 28. Matejko           | 2021 | 38     | 17 | 2 L  | Range n/r<br>Mean 11.1                 | Single-digit multiplication verification task (small problems) > Control task                                                                                                                                                                                                                                                                                                                                                                   | ADD                               |
| 29. Declercq          | 2022 | 26     | 13 | n/r  | Range 7.7 – 10.4<br>Mean 9.2           | Addition large problem task > Addition small problem task                                                                                                                                                                                                                                                                                                                                                                                       | MUL                               |
| 30. Dumontheil        | 2022 | 34     | 17 | n/r  | Range n/r<br>Mean 10.4                 | Double-digit multiplication (trained) > Single-digit multiplication (pre-training session)<br>Double-digit multiplication (untrained) > Single-digit multiplication (pre-training session)<br>Double-digit multiplication (untrained) > Single-digit multiplication (post-training session)<br>Double-digit multiplication (untrained) > Double-digit multiplication (trained)<br>Numerical Stroop Task Mixed > Numerical Stroop task Congruent | MUL<br>MUL<br>MUL<br>MUL<br>ADD   |
| 31. Suárez-Pellicioni | 2022 | 51     | 28 | n/r  | Range 11 – 15<br>Mean 13.4             | Single-digit multiplication verification task > Control task                                                                                                                                                                                                                                                                                                                                                                                    | MUL                               |
| 32. Amalric           | 2022 | 18     | 12 | n/r  | Mean 11 / 13<br>Range n/r<br>Mean 9.25 | Forced-choice math task > Math naturalistic video lesson                                                                                                                                                                                                                                                                                                                                                                                        | MUL                               |

parietal regions, frontal and prefrontal cortices, bilateral thalamus, right insula (BA 13), right claustrum, and bilateral cerebellum. Similarly, solving subtraction problems is linked to occipito-temporal visual regions, parietal areas, frontal and prefrontal regions, with additional activations observed in bilateral insula (BA 13) and right cerebellum. For multiplication tasks, activity is observed in occipito-temporal visual regions, parietal areas, temporal regions, frontal and prefrontal regions. Furthermore, consistent activations are seen in bilateral cingulate gyri (BA 32), bilateral thalami, left claustrum, right insula, right caudate body, and right cerebellum across different studies.

This current report will be the first to examine concordance of separate arithmetic operations in children in comparison with adults, as the question remains whether the same brain regions are involved in solving tasks related to fundamental arithmetic operations in children and adults. Theoretically, it is expected that concordance in children will favor the insula and cingulate related to affective factors such as motivation and to a lesser extent the cognitive network that includes prefrontal and parietal regions (Arsalidou and Pascual-Leone, 2016). We do not anticipate differences among arithmetic operations.

2. Method

2.1. Literature review

PRISMA guidelines were used to document the steps taken for the systematic review and meta-analyses (Page et al., 2021). PubMed was searched using terms: fMRI and arithmetic, fMRI and calculations, fMRI and math, fMRI and addition/subtraction/multiplication/division in June 2023, searching all previous years. The search yielded a total of 1032, which resulted into 641 after duplicates were removed. Details for searches and steps taken for article eligibility are illustrated on Fig. 1.

2.2. Article eligibility criteria

Articles were subjected to two sets of inclusion/exclusion criteria. The initial stage of the screening process defined eligible the articles that (a) use fMRI, (b) present whole-brain group analyses accompanied by stereotactic coordinates expressed in either Talairach/Tournoux or Montreal Neurological Institute (MNI) space, (c) employ a minimum of one of the subsequent tasks: addition, subtraction, multiplication, division, (d) publish in the English language, (e) present number stimuli to participants in digits, words or had a symbolic designation, and (f) include a group of healthy children (up to mean age of 14 years) or adults (> 18 years). The second stage involved identifying eligible contrasts, by considering arithmetic operation used, types of statistical analyses conducted, and eligible contrasts (i.e., experiments). Eligible experiments were subtraction contrasts (e.g., task > control) rather than correlational analyses or multivariate analyses.

Contrasts (i.e., experiments) were systematically categorized according to the specific category of arithmetic operation for children (Table 1) and for adults (Table 2). Articles that reported results of mixed arithmetic operations (e.g., 3+2–4) or other complex mathematical operations (e.g., integration), were not considered. Inclusion criteria for addition, subtraction, and multiplication maps (division did not yield sufficient experiments: Fig. 1) were meticulously outlined as follows. Although we did not employ a behavioral performance criterion, we did verify that fMRI contrasts that involve tasks of different difficulty were expressed also in behavioral performance. That is, to include contrast Math task Hard > Math task Easy in the corresponding map, it was necessary to ensure that task Math task Easy was easier than task Math task Hard by way of differences expressed in behavioral scores, such as reaction time, accuracy, or performance efficiency.

The addition category included the following contrast types: (a) Addition > Control Task, (b) Addition Hard > Addition Easy, (c)

**Table 2**

List of eligible articles with adults.

|     | Author          | Year  | Sample |     |      |                                       | Contrast                                                                                                                                                                                                                                           | Contrast type:<br>(ADD, SUB, MUL)      |
|-----|-----------------|-------|--------|-----|------|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
|     |                 |       | N      | F   | Hand | Age                                   |                                                                                                                                                                                                                                                    |                                        |
| 1.  | Dehaene         | 1999  | 7      | 4   | R    | Range 22 – 28<br>Mean 25              | Approximate addition > Exact addition                                                                                                                                                                                                              | ADD                                    |
| 2.  | Chochon         | 1999  | 8      | 4   | R    | Range 20 – 30<br>Mean 25              | Multiplication > Digit Naming<br>Multiplication > Comparison<br>Subtraction > Digit Naming<br>Subtraction > Comparison                                                                                                                             | MUL<br>MUL<br>SUB<br>SUB               |
| 3.  | Stanescu-Cosson | 2000  | 7      | 4   | R    | Range 22 – 26<br>Mean 24              | All calculation tasks > Letter matching<br>Calculation with small numbers > Letter matching<br>Approximate addition > Exact addition                                                                                                               | ADD<br>ADD<br>ADD                      |
| 4.  | Rickard         | 2000  | 5      | 5   | R    | Range n/r<br>Mean 24                  | Multiplication verification > Control task                                                                                                                                                                                                         | MUL                                    |
| 5.  | Landro          | 2001  | 12     | n/r | n/r  | Range 20 – 45<br>Mean 32.5            | Add up until 10 (run 2) > Off block                                                                                                                                                                                                                | ADD<br>ADD                             |
| 6.  | Simon           | 2002  | 10     | 7   | R    | Range 24 – 30<br>Mean 28              | Subtraction > Control                                                                                                                                                                                                                              | SUB                                    |
| 7.  | Hanakawa        | 2003  | 8      | 7   | n/r  | Range 22 – 33<br>Mean 24              | Numeral mental-operation task > Verbal rehearsal task                                                                                                                                                                                              | ADD                                    |
| 8.  | Molko           | 2003  | 14     | n/r | R    | Range 18 – 30<br>Mean 24.3            | All calculation tasks > Rest<br>Normal exact calculation > Small exact calculation<br>Small approximate calculation > Small exact calculation                                                                                                      | ADD<br>ADD<br>ADD                      |
| 9.  | Delazer         | 2003  | 13     | 6   | R    | Range n/r                             | Fact retrieval multiplication > Number matching<br>Untrained multiplication > Number matching<br>Untrained multiplication > Trained multiplication                                                                                                 | MUL<br>MUL<br>MUL                      |
| 10. | Hanakawa        | 2003b | 16     | 7   | 15 R | Range 22 – 34<br>Mean 24              | Mental operation task > Verbal rehearsal task                                                                                                                                                                                                      | ADD                                    |
| 11. | Kawashima       |       | 8      | 4   | R    | Range 40 – 49<br>Mean 44.1            | Addition > Baseline control<br>Subtraction > Baseline control<br>Multiplication > Baseline control                                                                                                                                                 | ADD<br>SUB<br>MUL                      |
| 12. | Delazer         | 2004  | 13     | n/r | R    | Range n/r<br>Mean n/r                 | Untrained multiplication > Trained multiplication                                                                                                                                                                                                  | MUL                                    |
| 13. | Hugdahl         | 2004  | 12     | 7   | n/r  | Range 25 – 36<br>Mean 31              | Mental Arithmetic Task > Vigilance task                                                                                                                                                                                                            | ADD                                    |
| 14. | Audoin          | 2005  | 10     | 7   | R    | Range n/r<br>Mean 26.6                | PASAT task (addition) > Control task                                                                                                                                                                                                               | ADD                                    |
| 15. | Venkatraman     | 2005  | 10     | 3   | R    | Range 20 – 25<br>Mean n/r             | Exact addition symbolic > Control task<br>Approximate addition symbolic > Control task<br>Exact addition non-symbolic > Control task<br>Approximate addition non-symbolic > Control task                                                           | ADD<br>ADD<br>ADD<br>ADD               |
| 16. | Kong            | 2005  | 16     | 9   | R    | Range 25 – 36<br>Mean 28              | Addition with carrying > Control condition<br>Addition without carrying > Control condition<br>Subtraction with borrowing > Control condition<br>Subtraction without borrowing > Control condition                                                 | ADD<br>ADD<br>SUB<br>SUB               |
| 17. | Wang            | 2005  | 18     | 9   | R    | Range 22 – 36<br>Mean n/r             | Continuous mental arithmetic (subtraction) > Relax<br>Repeated recitation of multiplication tables > Relax                                                                                                                                         | SUB<br>MUL                             |
| 18. | Venkatraman     | 2006  | 20     | 7   | R    | Range n/r<br>Mean n/r                 | Base-7 Addition before train > Base-7 Addition after train                                                                                                                                                                                         | ADD                                    |
| 19. | Ischebeck       | 2006  | 12     | 8   | n/r  | Range n/r<br>Mean 26.8                | Multiplication untrained > Baseline<br>Multiplication trained > Baseline<br>Multiplication untrained > Multiplication trained<br>Subtraction untrained > Baseline<br>Subtraction trained > Baseline<br>Subtraction untrained > Subtraction trained | MUL<br>MUL<br>MUL<br>SUB<br>SUB<br>SUB |
| 20. | Fehr            | 2007  | 11     | 6   | R    | Range n/r<br>Mean 26.8                | Complex Addition > Simple Addition<br>Complex Subtraction > Simple Subtraction<br>Complex Multiplication > Simple Multiplication                                                                                                                   | ADD<br>SUB<br>MUL                      |
| 21. | Hugdahl         | 2007  | 12     | 5   | R    | Range n/r<br>Mean 31                  | PASAT task (addition) > Baseline                                                                                                                                                                                                                   | ADD                                    |
| 22. | Sammer          | 2007  | 20     | 10  | R    | Range 20.3 – 39.6<br>Mean 25.4        | Add numbers from 0 to 20 > Reference task                                                                                                                                                                                                          | ADD                                    |
| 23. | Zhou            | 2007  | 20     | 10  | R    | Range 18.3 – 29.8<br>Mean 22.7        | Addition small > Fixation<br>Addition large > Fixation<br>Multiplication small > Fixation<br>Multiplication large > Fixation                                                                                                                       | ADD<br>ADD<br>MUL<br>MUL               |
| 24. | Grabner         | 2007  | 25     | 0   | n/r  | Range 22 – 32<br>Mean 25.38 and 25.92 | Multi-digit multiplication > Single- digit multiplication                                                                                                                                                                                          | MUL                                    |
| 25. | Tan             | 2007  | 22     | 9   | R    | Range n/r<br>Mean n/r                 | Numerical computation and size judgment task > Judgment task                                                                                                                                                                                       | SUB                                    |
| 26. | Ischebeck       | 2007  | 18     | 9   | R    | Range n/r<br>Mean 27.8                | Multiplication novel > Multiplication repeated                                                                                                                                                                                                     | MUL                                    |
| 27. | Kuo             | 2008  | 12     | 6   | R    | Range 21 – 29<br>Mean 25              | Single addition > Baseline<br>Dual addition > Baseline<br>Single subtraction > Baseline<br>Dual subtraction > Baseline                                                                                                                             | ADD<br>ADD<br>SUB<br>SUB               |

(continued on next page)

Table 2 (continued)


|     | Author      | Year | Sample |     |      |                                             | Contrast                                                                                                                                 | Contrast type:<br>(ADD, SUB, MUL) |
|-----|-------------|------|--------|-----|------|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|
|     |             |      | N      | F   | Hand | Age                                         |                                                                                                                                          |                                   |
| 28. | Zago        | 2008 | 14     | 8   | R    | Range 20 – 27<br>Mean 23.5                  | Number manipulation > Maintenance                                                                                                        | ADD                               |
| 29. | Ischebeck   | 2009 | 17     | 7   | R    | Range n/r<br>Mean 25                        | Multiplication untrained > Multiplication trained                                                                                        | MUL                               |
| 30. | Jost        | 2009 | 18     | 9   | R    | Range 22 – 36<br>Mean 24.5                  | Large multiplication > Small multiplication<br>Small multiplication > Zero multiplication                                                | MUL<br>MUL                        |
| 31. | Grabner     | 2009 | 28     | 0   | R    | Range 22 – 33<br>Mean 26.9                  | Multiplication of Arabic digits > Figural-spatial task<br>Multiplication untrained > Multiplication trained                              | MUL<br>MUL                        |
| 32. | Harada      | 2013 | 24     | 24  | R    | Range n/r<br>Mean 20.38                     | Exact calculation > Control<br>Approximate Calculation > Control<br>Approximate Calculation > Exact calculation                          | ADD<br>ADD<br>ADD                 |
| 33. | Pinel       | 2013 | 64     | 0   | R    | Range n/r<br>Mean 23.2                      | Subtraction > Control                                                                                                                    | SUB                               |
| 34. | Prado       | 2013 | 53     | 30  | R    | Range 19 – 30<br>Mean 24.2                  | Multiplication large > Multiplication small                                                                                              | MUL                               |
| 35. | Yang        | 2013 | 17     | 7   | R    | Range n/r<br>Mean 25.76                     | Addition task (AT) > Memory task (MT)<br>Subtraction task (ST) > Memory task (MT)                                                        | ADD<br>SUB                        |
| 36. | Bulthe      | 2014 | 16     | 12  | 1 L  | Range 21 – 28<br>Mean n/r                   | Localizer task (Subtraction) > Fixation                                                                                                  | SUB                               |
| 37. | De Visscher | 2015 | 20     | 10  | R    | Range 23 – 34<br>Mean 29                    | Multiplication large > Multiplication small                                                                                              | MUL                               |
| 38. | Andin       | 2015 | 15     | 12  | R    | Range 22 – 37<br>Mean 28.6                  | Multiplication > Visual control<br>Multiplication > Cognitive control<br>Subtraction > Visual control<br>Subtraction > Cognitive control | MUL<br>MUL<br>SUB<br>SUB          |
| 39. | Kanjlia     | 2016 | 19     | 9   | n/r  | Range n/r<br>Mean 46                        | Math task (subtraction) > Sentences                                                                                                      | SUB                               |
| 40. | Bloechle    | 2016 | 32     | 24  | R    | Range n/r<br>Mean 22                        | Multiplication untrained > Multiplication trained (UT2-T)                                                                                | MUL                               |
| 41. | Soylu       | 2016 | 13     | 6   | R    | Range 20 – 29.34<br>Mean 24.67              | Two-digit addition > One-digit addition                                                                                                  | ADD                               |
| 42. | Pletzer     | 2016 | 74     | 34  | R    | Range 18 – 40<br>Mean ~ 25.4                | Two-digit subtraction > Null events<br>Single-digit multiplications > Null events                                                        | SUB<br>MUL                        |
| 43. | Chang       | 2016 | 26     | 13  | R    | Range 19.0 – 22.6<br>Mean 20.6              | Complex subtraction > Number Identification                                                                                              | SUB                               |
| 44. | Yang        | 2017 | 17     | n/r | R    | Range n/r<br>Mean 25.76                     | Addition task (AT) > Number matching task (NT)<br>Subtraction task (ST) > Number matching task (NT)                                      | ADD<br>SUB                        |
| 45. | De Visscher | 2018 | 42     | 29  | R    | Range 18 – 48<br>Mean 22                    | Multiplication verification task: large > small                                                                                          | MUL                               |
| 46. | Bugden      | 2019 | 24     | 17  | R    | Range 18 – 34<br>Mean 21.92                 | Symbolic addition (SA) > Color control (NC)<br>Non-symbolic addition (NA) > Color control (NC)                                           | ADD<br>ADD                        |
| 47. | Matejko     | 2019 | 26     | 12  | R    | Range 19.5 – 26.3<br>Mean 22.2              | Addition task: large problem > Plus 1 Problem<br>Addition task: small problem > Plus 1 Problem                                           | ADD<br>ADD                        |
| 48. | Castaldi    | 2020 | 16     | 9   | n/r  | Range 23 – 27<br>Mean 25                    | Calculation task (subtraction) > Reading                                                                                                 | SUB                               |
| 49. | Heidekum    | 2021 | 46     | 28  | R    | Range 19 – 32 and 21 – 35<br>Mean 23 and 24 | Multiplication untrained > Multiplication trained                                                                                        | MUL                               |
| 50. | Matejko     |      | 26     | 12  | R    | Range 19.5 – 26.3<br>Mean 22.2              | Addition large problem task > Addition small problem task                                                                                | ADD                               |
| 51. | Amalric     | 2022 | 14     | n/r | n/r  | Range n/r<br>Mean n/r                       | Forced-choice math task > Math naturalistic video lesson                                                                                 | MUL                               |
| 52. | Göbel       | 2022 | 18     | 10  | R    | Range 19 – 37<br>Mean 22.06                 | Subtraction > Control<br>Multiplication > Control                                                                                        | SUB<br>MUL                        |

Addition > Baseline, (d) Addition > Rest, (e) Addition > Fixation, (f) Addition before train > Addition after train. The Subtraction category included the following contrast types: (a) Subtraction > Control Task, (b) Subtraction Hard > Subtraction Easy, (c) Subtraction > Baseline, (d) Subtraction > Rest, (e) Subtraction > Fixation, (f) Subtraction before train > Subtraction after train. The Multiplication problem maps included the following contrast types: (a) Multiplication > Control Task, (b) Multiplication Hard > Multiplication Easy, (c) Multiplication > Baseline, (d) Multiplication > Rest, (e) Multiplication > Fixation, (f) Multiplication before train > Multiplication after train. The Division category comprised four articles within the adults' group (Fehr et al., 2007; Wood et al., 2008; Ischebeck et al., 2009; Rosenberg-Lee et al., 2011), whereas no articles were available for the children's group.

### 2.3. Activation likelihood estimation (ALE)

We used open-source software GingerALE (version 3.0.2; [www.brainmap.org/ale/](http://www.brainmap.org/ale/)).

ALE is a coordinate-based meta-analytical method that combines data from multiple experiments investigating a common cognitive phenomenon (Turkeltaub et al., 2002; 2012; Eickhoff et al., 2016; 2017). This method quantifies the probability of continuous activation in a specific voxel across multiple sources within a predefined category or group and enables the examination brain regions associated with distinct functions of interest. To have sufficient power to detect moderate effect sizes categories of interest should have 17 or more experiments (i.e., contrasts; Eickhoff et al., 2017). Because of lack of sufficient experiments, we could not perform meta-analyses on the category of division. To standardize all coordinates to a common coordinate system, the built-in Lancaster transform (icbm2tal) was employed to convert all MNI coordinates to Talairach space. To visualize the results obtained from the ALE maps, we utilized the AFNI software (version AFNI for Mac OS versions 10.9–15; Cox, 1996).



**Fig. 2.** Single dataset ALE maps of addition, subtraction, multiplication, and a visual overlay of all operations (addition, subtraction, multiplications) in adults. These maps were generated in AFNI using a cluster-level correction of 0.05 with 1000 threshold permutations and a cluster-forming threshold of  $p < 0.001$ . Coordinates in Talairach space and brain labels are in [Table 3](#).

#### 2.4. Single dataset analyses

Single dataset ALE meta-analyses were performed for adults for arithmetic operations of addition, subtraction, and multiplication. Single datasets for children, ALE meta-analyses were performed for addition, subtraction, and multiplication. We note that multiplication had 11 experiments, however, we decided to analyze this category as it may be indicative of trends. All single dataset ALE analyses were subjected to a cluster-level correction for controlling multiple comparisons of  $p = 0.05$ , utilizing a cluster-forming threshold of  $p < 0.001$  ([Eickhoff et al., 2012](#)).

#### 2.5. Conjunction and contrast analyses

GingerALE was employed to conduct conjunction and contrast analyses in order to ascertain common and distinct areas across arithmetic operation in adults and children. For these analyses, an uncorrected threshold of  $p < 0.001$  was utilized, with 5000 threshold permutations and a minimum volume criterion of  $50 \text{ mm}^3$ , as it was on images that already surpassed the rigorous thresholds of cluster-level correction of  $p = 0.05$  and cluster-forming threshold of  $p = 0.001$  employed in the creation of the single-file maps ([Eickhoff et al., 2012](#)). The same threshold parameters were employed for conjunction and contrast analyses conducted between the age groups (i.e., children vs adults) for each arithmetic operation. Notably, GingerALE software allow comparisons (conjunction and contrast) between two datasets at a time, thus we directly compared arithmetic operations within each age groups (e.g., children addition vs children subtraction; adult addition vs adult subtraction) and each arithmetic operation between groups (e.g., addition adults vs addition children).

### 3. Results

Our sample consisted of adults (Addition,  $n = 376$ , Males = 151,  $25.8 \pm 4.93$  years-old; Subtraction,  $n = 424$ , Males = 208,  $28.18 \pm 6.62$  years-old; Multiplication,  $n = 424$ , Males = 247,  $28.18 \pm 6.62$  years-old) and children (Addition,  $n = 653$ , Males = 253,  $9.43 \pm 1.7$  years-old; Subtraction,  $n = 268$ , Males = 110,  $10.09 \pm 1.43$  years old; Multiplication,  $n = 266$ , Males = 118,  $10.73 \pm 0.85$  years-old).


#### 3.1. Single dataset meta-analyses

Brain areas concordant across experiments that examine arithmetic operations: addition, subtraction, and multiplication for children and adults are illustrated on [Figs. 2 and 3](#). [Table 3](#) list the corresponding coordinates, brain labels and statistical parameters.

#### 3.2. Conjunction and contrast meta-analyses

Analyses showing common (i.e., conjunction) and distinct (i.e., contrast) brain areas among arithmetic operations in adults and children are listed on [Table 4](#) and [Table 5](#), respectively.

Analyses showing common and distinct brain areas between adults and children are listed on [Table 6](#). Although the conjunction of children and adults show the highest ALE scores in right insula and the left superior frontal gyrus (BA6; adjacent to the dorsal cingulate), the contrast analysis show that adults implicate more extensive set of areas that include prefrontal and temporal areas.



**Fig. 3.** Single dataset ALE maps of addition, subtraction, multiplication, and a visual overlay of all operations (addition, subtraction, multiplications) in children. These maps were generated in AFNI using a cluster-level correction of 0.05 with 1000 threshold permutations and a cluster-forming threshold of  $p < 0.001$ . Coordinates in Talairach space are reported in [Table 3](#).

#### 4. Discussion

Brain coordinates associated with separate arithmetic operations in adults and children were examined using systematic review and quantitative ALE meta-analyses. We highlight three key findings:

- (a) Adults show concordance in a widespread set of brain regions when solving arithmetic operations in both hemispheres. Although brain areas are similar among arithmetic operations (e.g., parietal, insular and prefrontal regions) we note that they exhibit varied strength order in terms of ALE scores. For instance, the left superior frontal gyrus (BA 6) and right insula have the highest likelihood of being detected for addition, the right precuneus and left inferior frontal gyrus show the highest likelihood of being detected for subtraction, and for multiplication the top ALE scores are observed in the left inferior frontal gyrus and insula. Conjunction analyses revealed many clusters among arithmetic operations with the highest ALE scores in the left inferior frontal gyrus (BA 9) and parts of the parietal cortex, suggesting that implication of the fronto-parietal network is common for math problem solving in adults. Contrast analyses among operations show few significant differences in favor of subtraction in left middle frontal gyrus (BA 9) (subtraction > addition) and left middle frontal gyrus (BA 46) and bilateral parietal areas (BA 7, 39, 40; subtraction > multiplication); suggestive of the need of increased fronto-parietal resources for subtraction. Results point to the notion that common cognitive resources underlie mathematical problem solving, consistent with theoretical understanding of implementing general cognitive processes of mental attention or working memory (e.g.,

Pascual-Leone, 1970; Pascual-Leone and Johnson, 2021) and empirical research that points to a fronto-parietal network that also underlies processes of mental attention or working memory that are not specifically numeric (e.g., Owen et al., 2005; Wang et al., 2019; Yapple et al., 2021 for meta-analyses).

- (b) Like adults, children also activate a widespread set of regions in both hemispheres when solving arithmetic operations, that include areas in the fronto-parietal and cingulo-opercular networks, albeit areas in the cingulo-opercular network show the highest ALE scores. Specifically, the left insula and right claustrum (an area adjacent to the insula) showed the highest concordance for addition, the right precentral gyrus (BA 6; adjacent to the dorsal cingulate) and the left insula showed the highest concordance for subtraction; multiplication showed the highest concordance in the right cingulate gyrus (BA 32; dorsal cingulate) and left precuneus. Conjunction analyses revealed several statistically common regions among operations with the highest ALE scores in the insular cortex (BA 13), cingulate gyrus (BA 32), and inferior frontal gyrus (BA 9). No statistically significant differences among operations were observed, as expected. These results highlight that the cingulo-opercular network, a network that links the insula with the dorsal cingulate is key for solving arithmetic operations in children.
- (c) Conjunction analyses for children and adults show that the left BA 6, and the right insula receive the highest ALE scores among other clusters for both addition and subtraction, and the left precuneus for multiplication. Contrasts analyses between age groups showed no concordance for children over and above that of adults, however, adults showed increased concordance in prefrontal, parietal, and temporal cortices.

**Table 3**

Single dataset analyses for addition, subtraction, and multiplication in adults and children.

|                               | Hemisphere | Brain area               | BA | X   | Y   | Z   | ALE    | Vol/mm <sup>3</sup> |
|-------------------------------|------------|--------------------------|----|-----|-----|-----|--------|---------------------|
| <b>Adults. Addition</b>       |            |                          |    |     |     |     |        |                     |
| 1.                            | L          | Precuneus                | 7  | −26 | −64 | 38  | 0.0425 | 7868                |
|                               | L          | Superior Parietal Lobule | 7  | −28 | −60 | 48  | 0.0335 |                     |
|                               | L          | Inferior Parietal Lobule | 40 | −32 | −50 | 38  | 0.0261 |                     |
|                               | L          | Inferior Parietal Lobule | 40 | −44 | −40 | 40  | 0.0260 |                     |
|                               | L          | Inferior Parietal Lobule | 40 | −42 | −50 | 50  | 0.0160 |                     |
| 2.                            | L          | Inferior Frontal Gyrus   | 9  | −50 | 10  | 26  | 0.0414 | 4808                |
|                               | L          | Inferior Frontal Gyrus   | 9  | −42 | 4   | 30  | 0.0409 |                     |
|                               | L          | Middle Frontal Gyrus     | 46 | −40 | 22  | 18  | 0.0147 |                     |
| 3.                            | R          | Superior Parietal Lobule | 7  | 28  | −58 | 42  | 0.0315 | 3776                |
|                               | R          | Precuneus                | 19 | 30  | −68 | 32  | 0.0202 |                     |
| 4.                            | L          | Superior Frontal Gyrus   | 6  | −4  | 10  | 48  | 0.0450 | 3280                |
| 5.                            | L          | Fusiform Gyrus           | 37 | −46 | −54 | −12 | 0.0269 | 2360                |
|                               | L          | Posterior Lobe. Tuber.   |    | −38 | −62 | −28 | 0.0164 |                     |
| 6.                            | R          | Inferior Frontal Gyrus   | 9  | 44  | 10  | 28  | 0.0272 | 2256                |
| 7.                            | R          | Insula                   | 13 | 30  | 20  | 6   | 0.0445 | 2024                |
| 8.                            | R          | Inferior Parietal Lobule | 40 | 40  | −40 | 42  | 0.0268 | 1856                |
| 9                             | L          | Sub-lobar. Claustrum     |    | −28 | 20  | 10  | 0.0282 | 1768                |
| 10.                           | L          | Middle Frontal Gyrus     | 6  | −26 | −4  | 50  | 0.0291 | 1640                |
| 11.                           | R          | Middle Frontal Gyrus     | 46 | 42  | 36  | 24  | 0.0224 | 1216                |
|                               | R          | Middle Frontal Gyrus     | 46 | 44  | 44  | 26  | 0.0176 |                     |
| <b>Adults. Subtraction</b>    |            |                          |    |     |     |     |        |                     |
| 1.                            | L          | Precuneus                | 7  | −28 | −66 | 36  | 0.0327 | 8968                |
|                               | L          | Inferior Parietal Lobule | 40 | −42 | −48 | 48  | 0.0248 |                     |
|                               | L          | Inferior Parietal Lobule | 40 | −42 | −44 | 38  | 0.0240 |                     |
|                               | L          | Inferior Parietal Lobule | 40 | −36 | −50 | 38  | 0.0238 |                     |
|                               | L          | Precuneus                | 7  | −14 | −70 | 48  | 0.0217 |                     |
| 2.                            | L          | Inferior Frontal Gyrus   | 9  | −44 | 6   | 30  | 0.0386 | 5720                |
|                               | L          | Middle Frontal Gyrus     | 9  | −44 | 28  | 28  | 0.0365 |                     |
| 3.                            | R          | Precuneus                | 19 | 30  | −62 | 40  | 0.0473 | 5400                |
|                               | R          | Inferior Parietal Lobule | 40 | 36  | −48 | 38  | 0.0267 |                     |
| 4.                            | R          | Inferior Frontal Gyrus   | 9  | 42  | 6   | 30  | 0.0301 | 2592                |
|                               | R          | Middle Frontal Gyrus     | 9  | 40  | 30  | 26  | 0.0253 |                     |
| 5.                            | L          | Insula                   | 13 | −30 | 20  | 6   | 0.0282 | 2104                |
| 6.                            | L          | Medial Frontal Gyrus     | 6  | −6  | 6   | 52  | 0.0235 | 2024                |
|                               | L          | Superior Frontal Gyrus   | 8  | 0   | 16  | 52  | 0.0206 |                     |
|                               | R          | Superior Frontal Gyrus   | 6  | 4   | 12  | 54  | 0.0200 |                     |
| 7.                            | R          | Insula                   | 13 | 30  | 20  | 6   | 0.0370 | 1992                |
| 8.                            | L          | Middle Frontal Gyrus     | 6  | −30 | 0   | 56  | 0.0254 | 1128                |
| 9.                            | R          | Middle Frontal Gyrus     | 6  | 28  | −4  | 58  | 0.0175 | 688                 |
|                               | R          | Precentral Gyrus         | 6  | 30  | −6  | 52  | 0.0161 |                     |
| <b>Adults. Multiplication</b> |            |                          |    |     |     |     |        |                     |
| 1.                            | L          | Superior Parietal Lobule | 7  | −28 | −60 | 44  | 0.0331 | 5680                |
|                               | L          | Precuneus                | 19 | −30 | −70 | 30  | 0.0290 |                     |
|                               | L          | Superior Parietal Lobule | 7  | −30 | −50 | 40  | 0.0225 |                     |
| 2.                            | L          | Inferior Frontal Gyrus   | 9  | −42 | 4   | 28  | 0.0507 | 4296                |
|                               | L          | Middle Frontal Gyrus     | 9  | −46 | 26  | 30  | 0.0171 |                     |
|                               | L          | Middle Frontal Gyrus     | 46 | −44 | 18  | 24  | 0.0169 |                     |
| 3.                            | L          | Medial Frontal Gyrus     | 6  | −4  | 4   | 50  | 0.0283 | 2608                |
|                               | L          | Medial Frontal Gyrus     | 6  | 0   | 18  | 46  | 0.0184 |                     |
| 4.                            | L          | Insula                   | 13 | −30 | 20  | 6   | 0.0491 | 2584                |
| 5.                            | R          | Sub-lobar. Claustrum.    |    | 28  | 20  | 8   | 0.0322 | 2304                |
| 6.                            | R          | Middle Frontal Gyrus     | 9  | 42  | 28  | 26  | 0.0337 | 1784                |
| 7.                            | R          | Inferior Frontal Gyrus   | 9  | 46  | 10  | 28  | 0.0222 | 992                 |
| <b>Children. Addition</b>     |            |                          |    |     |     |     |        |                     |
| 1.                            | L          | Medial Frontal Gyrus     | 6  | 0   | 18  | 44  | 0.0333 | 3928                |
|                               | L          | Superior Frontal Gyrus   | 6  | −2  | 8   | 52  | 0.0307 |                     |
|                               | L          | Medial Frontal Gyrus     | 6  | −6  | −4  | 56  | 0.0162 |                     |
| 2.                            | L          | Inferior Parietal Lobule | 40 | −42 | −48 | 42  | 0.0249 | 3880                |
|                               | L          | Precuneus                | 19 | −28 | −64 | 42  | 0.0242 |                     |
|                               | L          | Precuneus                | 19 | 30  | −64 | 38  | 0.0238 |                     |
|                               | L          | Inferior Parietal Lobule | 40 | −32 | −54 | 40  | 0.0222 |                     |
| 3.                            | R          | Insula                   | 13 | 30  | 20  | 8   | 0.0409 | 2704                |
| 4.                            | R          | Precuneus                | 7  | 28  | −64 | 36  | 0.0258 | 2448                |
|                               | R          | Inferior Parietal Lobule | 40 | 34  | −46 | 40  | 0.0200 |                     |
|                               | R          | Superior Parietal Lobule | 7  | 30  | −54 | 40  | 0.0193 |                     |
| 5.                            | R          | Middle Frontal Gyrus     | 9  | 46  | 26  | 30  | 0.0260 | 1216                |
|                               | R          | Middle Frontal Gyrus     | 9  | 36  | 20  | 30  | 0.0171 |                     |
| 6.                            | L          | Claustrum                |    | −30 | 16  | 6   | 0.0359 | 1104                |
| 7.                            | L          | Middle Frontal Gyrus     | 9  | −38 | 16  | 26  | 0.0223 | 768                 |
| 8.                            | L          | Precentral Gyrus         | 6  | −42 | −22 | 30  | 0.0192 | 762                 |
| <b>Children. Subtraction</b>  |            |                          |    |     |     |     |        |                     |
| 1.                            | L          | Precentral Gyrus         | 6  | −50 | 0   | 38  | 0.0244 | 1568                |
| 2.                            | R          | Inferior Frontal Gyrus   | 9  | 42  | 4   | 30  | 0.0145 | 960                 |

(continued on next page)

**Table 3** (continued)

|                                 | Hemisphere | Brain area               | BA | X   | Y   | Z  | ALE    | Vol/mm <sup>3</sup> |
|---------------------------------|------------|--------------------------|----|-----|-----|----|--------|---------------------|
|                                 | R          | Precentral Gyrus         | 6  | 40  | 2   | 36 | 0.0142 |                     |
| 3.                              | R          | Insula                   | 13 | 32  | 16  | 12 | 0.0178 | 856                 |
| 4.                              | L          | Superior Frontal Gyrus   | 6  | -2  | 4   | 54 | 0.0158 | 704                 |
| 5.                              | R          | Superior Parietal Lobule | 7  | 36  | -52 | 54 | 0.0142 | 664                 |
| 6.                              | L          | Inferior Parietal Lobule | 40 | -36 | -46 | 42 | 0.0147 | 592                 |
| <b>Children. Multiplication</b> |            |                          |    |     |     |    |        |                     |
| 1.                              | L          | Precuneus                | 19 | -30 | -62 | 38 | 0.0141 | 720                 |
|                                 | L          | Angular Gyrus            | 39 | -32 | -56 | 36 | 0.0121 |                     |
|                                 | L          | Superior Parietal Lobule | 7  | -30 | -58 | 44 | 0.0095 |                     |
| 2.                              | R          | Cingulate Gyrus          | 32 | 6   | 10  | 42 | 0.0146 | 544                 |
|                                 | R          | Medial Frontal Gyrus     | 6  | 8   | 8   | 48 | 0.0092 |                     |

Note: Coordinates are in Talairach space; R= right; L= left; BA = Brodmann Areas; Vol=volume.

Overall, results converge in revealing that multiple brain areas are needed in mathematical cognition, albeit the extent of brain area involvement is in part modulated by age and less by operation. Two key networks observed in our analyses are the cingulo-opercular and the fronto-parietal networks. The fronto-parietal network comprises brain regions primarily involving the lateral prefrontal and posterior parietal cortices, including the dorsolateral prefrontal cortex and the inferior parietal lobule. This network is proposed to be involved in all sorts of cognitive processes such as mental attention, working memory and decision-making (Vincent et al., 2008; Arsalidou et al., 2013; Yaple et al., 2021). The cingulo-opercular network encompasses several interconnected brain regions predominantly in the anterior cingulate cortex the anterior insula and adjacent opercular regions (Dosenbach et al., 2007; Gratton et al., 2017). The dorsal cingulate involvement often extends to adjacent regions including superior and medial frontal gyri (BA 6). The cingulo-opercular areas are associated with various tasks that involve cognitive control (Stocco and Anderson, 2008; Sestieri et al., 2014; Aben et al., 2020; Goodman et al., 2020; Zacharopoulos et al., 2023) including mathematical problem solving (Arsalidou et al., 2018; Pollack and Ashby, 2018). The cingulo-opercular network often activates together with the fronto-parietal network.

Descriptive results from within group contrasts show that areas in the cingulo-opercular network mainly exhibit higher ALE scores (i.e., likelihood of being detected) than the fronto-parietal network in children. Descriptive results from within-group contrasts in adults primarily indicate higher ALE scores in areas of the fronto-parietal network. Statistical contrasts reveal regions of common concordance between children and adults in both fronto-parietal and cingulo-operculum regions. However, adults show significantly greater concordance than children in prefrontal, parietal, and temporal regions, but not cingulo-operculum regions. As the cingulo-opercular network favors affective functions (Servaas et al., 2015; Arsalidou and Pascual-Leone, 2016; Hung et al., 2018; van den Heuvel and de Wit, 2018) and the fronto-parietal network favors cognitive functions (Kaufmann et al., 2011; Qiao et al., 2020), the results seem to be in agreement with the notion that every cognitive action requires an affective motivation (Arsalidou and Pascual-Leone, 2016). In essence, the data suggest that mathematical problem solving requires both cognitive and affective processes for both children and adults, albeit adults show statistically more concordance in areas that support cognitive processes. We highlight empirical and theoretical links with past literature. We also provide maps in stereotaxic space for adults and children that can benefit future studies that examine addition, subtraction, and multiplication.

Arithmetic operations in adults engage a widespread set of areas in the fronto-parietal and cingulo-opercular networks, in agreement past meta-analyses (Arsalidou and Taylor, 2011; Pollack and Ashby, 2018; Hawes et al., 2019; Sokolowski et al., 2023). Although we did not expect significant differences among arithmetic operations, we identified increased concordance for subtraction tasks for adults that show heightened engagement of the right inferior frontal gyrus and the left superior parietal cortex. The right inferior frontal gyrus is recognized for

its role in inhibitory control (Cai et al., 2014; Sebastian et al., 2016; Schroeder et al., 2020; Boen et al., 2022; Choo et al., 2022; Brown et al., 2023) and cognitive flexibility (Marklund and Persson, 2012; Rudebeck et al., 2013; Schaum et al., 2021; Sundby et al., 2021). As part of the lateral fronto-parietal network these areas play a key role in core cognitive resources that support mental attention (Arsalidou et al., 2013; Arsalidou and Pascual-Leone, 2016; Pascual-Leone and Johnson, 2021) and working memory (Rottschy et al., 2012; Yaple et al., 2021 for meta-analyses). The execution of subtractive operations typically requires regrouping and borrowing of numbers that may correspond to this increased involvement. Others have discussed unique cognitive demands and strategies intrinsic to each operation (Grabner and De Smedt, 2011). Addition and multiplication were proposed to be of automatic nature. Automatic calculations predominantly rely on rote memorization and factual retrieval, potentially accounting for the comparable brain activation patterns between addition and multiplication. Some also consider that math problem solving skills rely on core resources that change with development (Agostino et al., 2010; Arsalidou et al., 2018). Compared to addition and multiplication, subtraction entails more intricate processes, such as regrouping and borrowing, necessitating heightened cognitive control, and working memory (Campbell and Xue, 2001; Campbell, 2008). We did not anticipate differences among arithmetic operations because we assumed comparable cognitive demands among addition, subtraction, multiplication. However, subtraction problems in adults may have been more demanding in terms of processing steps, thus, the distinct brain areas observed for subtraction may reflect distinct cognitive demands associated with this operation in adults.

For children, all arithmetic operations engage brain areas in fronto-parietal and cingulo-opercular networks, albeit the cingulo-opercular areas generally show higher likelihood of being detected. Specifically, the insula (BA 13), claustrum, superior frontal gyrus (BA 6), and cingulate gyrus (BA 32) were among the regions with the highest ALE scores. These areas were also evident in the conjunction analyses among operations. The anterior insula is located deep within the lateral fissure and has been related with all sorts of affective and cognitive processes (Menon and Uddin, 2010; Duerden et al., 2013; Gasquoin, 2014; Uddin et al., 2017; Schimmelpfennig et al., 2023). The claustrum is a thin strip of cortex adjacent to the insula and is proposed to have a multimodal integrative role (Bennett and Baird, 2006) and as a primary region associated with consciousness (Goll et al., 2015). In mathematical cognition the insula was proposed to be a toggler between goal-directed and default-mode processes and the claustrum to have a role in motivated top-down processes (Arsalidou et al., 2018). As most neuroimaging studies analyze brain correlates of individuals who actively engage in problem solving with satisfactory performance, the rationale behind this explanation becomes apparent. The superior frontal gyrus (BA 6) is adjacent to the dorsal cingulate gyrus and often activates in various studies of core cognitive processes such as working memory (Rottschy et al., 2012; Yaple et al., 2021 for meta-analyses), inhibitory control (Hung et al., 2018; Li et al., 2022 for meta-analyses), and

**Table 4**

Conjunction and contrast analyses of Addition, Subtraction, and Multiplication in adults.

|                                                     | Hemisphere | Brain area               | BA | X   | Y   | Z  | ALE       | Vol/mm <sup>3</sup> |
|-----------------------------------------------------|------------|--------------------------|----|-----|-----|----|-----------|---------------------|
| <b>Addition <math>\cap</math> Subtraction</b>       |            |                          |    |     |     |    |           |                     |
| 1.                                                  | L          | Precuneus                | 7  | -28 | -64 | 36 | 0.0310    | 5040                |
|                                                     | L          | Inferior Parietal Lobule | 40 | -34 | -50 | 38 | 0.0227    |                     |
|                                                     | L          | Inferior Parietal Lobule | 40 | -42 | -44 | 40 | 0.0218    |                     |
|                                                     | L          | Inferior Parietal Lobule | 40 | -42 | -50 | 50 | 0.0166    |                     |
|                                                     | L          | Precuneus                | 7  | -20 | -72 | 42 | 0.0139    |                     |
| 2.                                                  | R          | Superior Parietal Lobule | 7  | 28  | -58 | 42 | 0.0301    | 2952                |
|                                                     | R          | Precuneus                | 7  | 28  | -66 | 32 | 0.0197    |                     |
| 3.                                                  | L          | Inferior Frontal Gyrus   | 9  | -44 | 4   | 30 | 0.0364    | 2552                |
|                                                     | L          | Middle Frontal Gyrus     | 46 | -44 | 18  | 24 | 0.0142    |                     |
| 4.                                                  | R          | Insula                   | 13 | 30  | 20  | 8  | 0.0282    | 1744                |
| 5.                                                  | L          | Clastrum                 |    | -28 | 20  | 8  | 0.0225    | 1424                |
| 6.                                                  | L          | Medial Frontal Gyrus     | 6  | -6  | 6   | 52 | 0.0235    | 1400                |
|                                                     | R          | Superior Frontal Gyrus   | 6  | 2   | 12  | 52 | 0.0181    |                     |
| 7.                                                  | R          | Inferior Frontal Gyrus   | 9  | 44  | 8   | 28 | 0.0253    | 840                 |
| 8.                                                  | L          | Frontal-lobe, Sub-Gyral  | 6  | -28 | -2  | 54 | 0.0202    | 352                 |
| 9.                                                  | R          | Middle Frontal Gyrus     | 9  | 42  | 32  | 26 | 0.0194    | 256                 |
| <b>Addition &gt; Subtraction</b>                    |            |                          |    |     |     |    |           |                     |
| No suprathreshold clusters                          |            |                          |    |     |     |    |           |                     |
| <b>Subtraction &gt; Addition</b>                    |            |                          |    |     |     |    |           |                     |
| 1.                                                  | L          | Middle Frontal Gyrus     | 9  | -44 | 25  | 33 | 3.5400841 | 368                 |
| <b>Addition <math>\cap</math> Multiplication</b>    |            |                          |    |     |     |    |           |                     |
| 1.                                                  | L          | Superior Parietal Lobule | 7  | -28 | -62 | 42 | 0.0311    | 3808                |
|                                                     | L          | Precuneus                | 19 | -28 | -70 | 32 | 0.0254    |                     |
|                                                     | L          | Superior Parietal Lobule | 7  | -30 | -50 | 40 | 0.0225    |                     |
|                                                     | L          | Precuneus                | 19 | -28 | -68 | 38 | 0.0220    |                     |
| 2.                                                  | L          | Inferior Frontal Gyrus   | 9  | -42 | 4   | 30 | 0.0409    | 3056                |
|                                                     | L          | Middle Frontal Gyrus     | 46 | -44 | 16  | 24 | 0.0165    |                     |
| 3.                                                  | L          | Superior Frontal Gyrus   | 6  | -4  | 6   | 50 | 0.0281    | 1912                |
|                                                     | L          | Medial Frontal Gyrus     | 6  | 0   | 18  | 46 | 0.0182    |                     |
| 4.                                                  | L          | Sub-lobar. Clastrum      | 6  | -28 | 20  | 10 | 0.0282    | 1584                |
| 5.                                                  | R          | Sub-lobar. Clastrum      |    | 28  | 20  | 8  | 0.0322    | 1408                |
| 6.                                                  | R          | Inferior Frontal Gyrus   | 9  | 46  | 10  | 28 | 0.0222    | 824                 |
| 7.                                                  | R          | Middle Frontal Gyrus     | 9  | 44  | 32  | 26 | 0.0204    | 408                 |
| <b>Addition &gt; Multiplication</b>                 |            |                          |    |     |     |    |           |                     |
| No suprathreshold clusters                          |            |                          |    |     |     |    |           |                     |
| <b>Multiplication &gt; Addition</b>                 |            |                          |    |     |     |    |           |                     |
| No suprathreshold clusters                          |            |                          |    |     |     |    |           |                     |
| <b>Multiplication <math>\cap</math> Subtraction</b> |            |                          |    |     |     |    |           |                     |
| 1.                                                  | L          | Precuneus                | 19 | -28 | -62 | 40 | 0.0258    | 3632                |
|                                                     | L          | Precuneus                | 19 | -28 | 70  | 32 | 0.0256    |                     |
|                                                     | L          | Inferior Parietal Lobule | 40 | -32 | -52 | 38 | 0.0193    |                     |
| 2.                                                  | L          | Inferior Frontal Gyrus   | 9  | -44 | 6   | 30 | 0.0367    | 2928                |
|                                                     | L          | Middle Frontal Gyrus     | 9  | -46 | 26  | 30 | 0.0171    |                     |
|                                                     | L          | Middle Frontal Gyrus     | 46 | -44 | 18  | 26 | 0.0156    |                     |
| 3.                                                  | L          | Insula                   | 13 | -30 | 20  | 6  | 0.0382    | 1680                |
| 4.                                                  | R          | Clastrum                 |    | 28  | 20  | 8  | 0.0322    | 1480                |
| 5.                                                  | L          | Medial Frontal Gyrus     | 6  | -6  | 6   | 50 | 0.0233    | 840                 |
| 6.                                                  | R          | Middle Frontal Gyrus     | 9  | 40  | 30  | 26 | 0.0253    | 672                 |
| 7.                                                  | R          | Inferior Frontal Gyrus   | 9  | 44  | 10  | 28 | 0.0211    | 464                 |
| 8.                                                  | L          | Superior Frontal Gyrus   | 8  | 0   | 18  | 48 | 0.0164    | 80                  |
| <b>Multiplication &gt; Subtraction</b>              |            |                          |    |     |     |    |           |                     |
| No suprathreshold clusters                          |            |                          |    |     |     |    |           |                     |
| <b>Subtraction &gt; Multiplication</b>              |            |                          |    |     |     |    |           |                     |
| 1.                                                  | R          | Precuneus                | 7  | 27  | -63 | 36 | 3.7190173 | 1136                |
|                                                     | R          | Superior Parietal Lobule | 7  | 28  | -64 | 44 | 3.5400841 |                     |
|                                                     | R          | Angular Gyrus            | 39 | 34  | -62 | 32 | 3.352795  |                     |
| 2.                                                  | L          | Middle Frontal Gyrus     | 46 | -40 | 26  | 24 | 3.5400841 | 120                 |
|                                                     | L          | Middle Frontal Gyrus     | 46 | -40 | 30  | 24 | 3.352795  |                     |
| 3.                                                  | L          | Inferior Parietal Lobule | 40 | -43 | -50 | 42 | 3.5400841 | 104                 |

Note: Coordinates are in Talairach space; R= right; L= left; BA = Brodmann Areas; Vol=volume.

cognitive flexibility (Armbruster et al., 2012; Chen et al., 2014; Wendigsen and Beste, 2023). In mathematical cognition, the role of the dorsal cingulate has been linked to implementing cognitive goals (Arsalidou et al., 2018). This is consistent with the rational that children who do not adhere to their cognitive goal and solve the math problem correctly, their data are likely to be eliminated from analyses because the researchers cannot directly determine whether the response was given because the child was unable to do the task or unmotivated to do the task. Therefore, as part of the cingulo-opercular network, the insula and the dorsal cingulate, we propose that they have a generic role that

underlies mechanisms related motivated task engagement.

The lateral fronto-parietal network has been discussed extensively as part of the working memory network (Yaple et al., 2019; Emch et al., 2019 for meta-analyses) and other executive functions (Houdé et al., 2010; Desco et al., 2011; Ardila et al., 2017). In mathematics the role of fronto-parietal regions has been associated with the procedural manipulation of numerical quantities (Prado et al., 2014, Van Der Auwera et al., 2023). Specifically, reports suggest that the angular gyrus, supports the ability to retrieve arithmetic facts in both typically developing children and adults (Sokolowski et al., 2023b). In number and

**Table 5**  
Conjunction and contrast analyses of Addition, Subtraction, and Multiplication in children.

|                                                     | Hemisphere | Brain area               | BA | X   | Y   | Z  | ALE    | Vol/mm <sup>3</sup> |
|-----------------------------------------------------|------------|--------------------------|----|-----|-----|----|--------|---------------------|
| <b>Addition <math>\cap</math> Subtraction</b>       |            |                          |    |     |     |    |        |                     |
| 1.                                                  | R          | Insula                   | 13 | 32  | 16  | 10 | 0.0165 | 608                 |
| 2.                                                  | L          | Superior Frontal Gyrus   | 6  | −2  | 4   | 54 | 0.0158 | 488                 |
| 3.                                                  | L          | Inferior Parietal Lobule | 40 | −36 | −48 | 42 | 0.0140 | 248                 |
| 4.                                                  | L          | Inferior Frontal Gyrus   | 6  | −44 | 2   | 32 | 0.0127 | 88                  |
| <b>Addition &gt; Subtraction</b>                    |            |                          |    |     |     |    |        |                     |
| No suprathreshold clusters                          |            |                          |    |     |     |    |        |                     |
| <b>Subtraction &gt; Addition</b>                    |            |                          |    |     |     |    |        |                     |
| No suprathreshold clusters                          |            |                          |    |     |     |    |        |                     |
| <b>Addition <math>\cap</math> Multiplication</b>    |            |                          |    |     |     |    |        |                     |
| 1.                                                  | L          | Precuneus                | 19 | −30 | −62 | 38 | 0.0141 | 632                 |
|                                                     |            | Angular Gyrus            | 39 | −32 | −56 | 36 | 0.0121 | 376                 |
|                                                     |            | Superior Parietal Lobule | 7  | −30 | −58 | 44 | 0.0095 |                     |
|                                                     | L          | Cingulate Gyrus          | 32 | 6   | 10  | 42 | 0.0146 |                     |
| <b>Addition &gt; Multiplication</b>                 |            |                          |    |     |     |    |        |                     |
| No suprathreshold clusters                          |            |                          |    |     |     |    |        |                     |
| <b>Multiplication &gt; Addition</b>                 |            |                          |    |     |     |    |        |                     |
| No suprathreshold clusters                          |            |                          |    |     |     |    |        |                     |
| <b>Multiplication <math>\cap</math> Subtraction</b> |            |                          |    |     |     |    |        |                     |
| 1.                                                  | L          | Inferior Frontal Gyrus   | 9  | −48 | 8   | 32 | 0.0133 | 168                 |
| <b>Multiplication &gt; Subtraction</b>              |            |                          |    |     |     |    |        |                     |
| No suprathreshold clusters                          |            |                          |    |     |     |    |        |                     |
| <b>Subtraction &gt; Multiplication</b>              |            |                          |    |     |     |    |        |                     |
| No suprathreshold clusters                          |            |                          |    |     |     |    |        |                     |

Note: Coordinates are in Talairach space; R= right; L= left; BA = Brodmann Areas; Vol=volume.

calculation tasks, the inferior and middle frontal gyri have been associated with monitoring simple rules and more complex rules, respectively (Arsalidou et al., 2018).

Notably, as expected, we did not observe statistically significant differences among arithmetic operations in children. Considering that children included in the articles we analyzed were 9 and 10 years old on average for addition and subtraction and closer to 11 years old for multiplication, one could suggest that children’s abilities in arithmetic operations greatly improve through learning during early school years (Entwisle and Alexander, 1989; Clements and Sarama, 2007; Rodic et al., 2018) and variability in brain response may be expressed in less detectable differences. The lack of differences in brain correlates among arithmetic operations may be also due to comparable experience across operation types (Evans et al., 2016; Brignoni-Pérez et al., 2021) as 9–10-year-olds should have had a couple of years of experience in addition and subtraction and 11-year-olds should have a couple of years of experience in multiplication. This is consistent with the theoretical proposal that children can comfortably solve arithmetic operations within the limits of their mental attentional capacity (Agostino et al., 2010; Pascual-Leone et al., 2010) and our analyses demonstrates the brain correlates of children that can inform this theoretical idea.

Compared to children, adults with an average age of about 27 years old have more extensive experience with all basic mathematical operations. Although conjunction analyses between children and adults shows common fronto-parietal and cingulo-opercular regions, confirming single dataset analyses, studies with adults showed statistically more concordance in prefrontal, parietal, and temporal regions than children. Specifically, contrasts between adults and children showed significant increase in concordance in the inferior frontal gyrus (BA 9, 44) and fusiform gyrus (BA 37) in the left hemisphere for addition, and left hemisphere angular gyrus (BA 39), precuneus (BA 19) and middle frontal gyrus (BA 9/46) for subtraction. Children did not show any concordance above and beyond brain areas implicated in math problem solving in adults. The inferior frontal gyrus, particularly BA 44 is acknowledged to be intricately associated with the region commonly referred to as the Broca area (Kulik et al., 2022). Broca’s area retains its centrality in language processing; however, its role transcends mere language production, encompassing higher-order cognitive functions that pertain to working memory (Chein et al., 2002). The left fusiform gyrus often assumes a significant role in the recognition and

identification of alphabetical strings, facilitating their transmission to regions implicated in number processing and retrieval of arithmetic facts (Venkatraman et al., 2006). The left angular gyrus, whose spatial localization is associated with Wernicke’s area known for its role in language comprehension (Binder, 2017; Jäncke et al., 2021), demonstrated an increased activation correlating with chronological age (Rivera et al., 2005). The observed outcome could potentially be attributed to the prevalence of language-based strategies employed by adults when engaging in mathematical problem-solving tasks (Kwon et al., 2002). Therefore, the activation differences between adults and children could reflect developmental changes in the organization and functionality of these brain regions over time. Moreover, the findings may suggest that certain cognitive strategies or approaches used by adults in the tasks are not yet fully established in children. Overall, concordance in these brain regions in adults and their absence in children provides valuable insights into the neural underpinnings of cognitive and mathematical processing during the analyzed tasks, highlighting the developmental differences between these two groups in terms of brain function and cognitive abilities.

### 5. Limitations

We note that fMRI meta-analyses in general cannot control for variability in statistical methodologies and thresholding approaches used by original studies. The present meta-analyses used peak coordinates reported by original peer-reviewed published studies that examine arithmetic operations in children and adults. We note two considerations for interpreting the results of the present meta-analyses. First, we did not control for task difficulty within each arithmetic operation which may have affected the participants’ computational strategies, however, most articles used single digit numbers for addition and subtraction, and most articles use problems in the multiplication table. Second, we point out again that we only had 11 experiments with multiplication problems in children rather than a minimum of 17 experiments (Eickhoff et al., 2017), thus results related to children’s multiplication tasks is underpowered.

### 6. Conclusion

We conducted a comprehensive investigation into brain activations

**Table 6**

Conjunction and contrast analyses: Comparing Addition, Subtraction, Multiplication between children and adults.

|                                                          | Hemisphere | Brain area               | BA | X   | Y   | Z   | ALE       | Vol/mm <sup>3</sup> |
|----------------------------------------------------------|------------|--------------------------|----|-----|-----|-----|-----------|---------------------|
| <b>Addition: Children <math>\cap</math> Adults</b>       |            |                          |    |     |     |     |           |                     |
| 1.                                                       | L          | Precuneus                | 19 | -28 | -64 | 42  | 0.0242    | 2928                |
|                                                          | L          | Precuneus                | 19 | -30 | -64 | 38  | 0.0238    |                     |
|                                                          | L          | Superior Parietal Lobule | 7  | -30 | -54 | 40  | 0.0212    |                     |
|                                                          | L          | Inferior Parietal Lobule | 40 | -42 | -46 | 42  | 0.0201    |                     |
| 2.                                                       | L          | Superior Frontal Gyrus   | 6  | -2  | 8   | 52  | 0.0301    | 1744                |
|                                                          | L          | Medial Frontal Gyrus     | 6  | 2   | -2  | 16  | 0.0266    |                     |
| 3.                                                       | R          | Insula                   | 13 | 30  | 20  | 6   | 0.0405    | 1672                |
| 4.                                                       | R          | Superior Parietal Lobule | 7  | 30  | -54 | 40  | 0.0193    | 1368                |
|                                                          | R          | Precuneus                | 7  | 28  | -62 | 38  | 0.0191    |                     |
|                                                          | R          | Superior Parietal Lobule | 7  | 28  | -66 | 40  | 0.0184    |                     |
|                                                          | R          | Precuneus                | 7  | 28  | -66 | 32  | 0.0182    |                     |
| 5                                                        | L          | Clastrum                 |    | -28 | 20  | 8   | 0.0282    | 704                 |
| 6.                                                       | L          | Precentral Gyrus         | 6  | -42 | -2  | 30  | 0.0192    | 632                 |
| 7.                                                       | L          | Middle Frontal Gyrus     | 9  | -42 | 14  | 26  | 0.0165    | 288                 |
|                                                          | L          | Middle Frontal Gyrus     | 9  | -38 | 12  | 28  | 0.0161    |                     |
| 8.                                                       | R          | Inferior Parietal Lobule | 40 | 38  | -44 | 40  | 0.0157    | 80                  |
| <b>Addition: Children &gt; Adults</b>                    |            |                          |    |     |     |     |           |                     |
| No suprathreshold clusters                               |            |                          |    |     |     |     |           |                     |
| <b>Addition: Adults &gt; Children</b>                    |            |                          |    |     |     |     |           |                     |
| 1.                                                       | L          | Inferior Frontal Gyrus   | 9  | -48 | 6   | 24  | 3.7190173 | 904                 |
|                                                          | L          | Inferior Frontal Gyrus   | 44 | -54 | 10  | 20  | 3.5400841 |                     |
| 2.                                                       | L          | Fusiform Gyrus           | 37 | -42 | -50 | -14 | 3.2388802 | 152                 |
|                                                          | L          | Fusiform Gyrus           | 37 | -42 | -54 | -11 | 3.0902321 |                     |
| <b>Subtraction: Children <math>\cap</math> Adults</b>    |            |                          |    |     |     |     |           |                     |
| 1.                                                       | L          | Precentral Gyrus         | 6  | -46 | 4   | 34  | 0.0213    | 912                 |
| 2.                                                       | R          | Inferior Frontal Gyrus   | 9  | 42  | 4   | 30  | 0.0145    | 752                 |
|                                                          | R          | Precentral Gyrus         | 6  | 42  | 2   | 36  | 0.0141    |                     |
| 3.                                                       | R          | Insula                   | 13 | 32  | 16  | 12  | 0.0178    | 592                 |
| 4.                                                       | L          | Inferior Parietal Lobule | 40 | -36 | -46 | 40  | 0.0143    | 376                 |
| 5.                                                       |            | Medial Frontal Gyrus     | 6  | 4   | 54  | 6   | 0.0141    | 248                 |
| 6.                                                       | R          | Superior Parietal Lobule | 7  | 34  | -56 | 50  | 0.0116    | 72                  |
| <b>Subtraction: Children &gt; Adults</b>                 |            |                          |    |     |     |     |           |                     |
| No suprathreshold clusters                               |            |                          |    |     |     |     |           |                     |
| <b>Subtraction: Adults &gt; Children</b>                 |            |                          |    |     |     |     |           |                     |
| 1.                                                       | L          | Angular Gyrus            | 39 | -29 | -62 | 37  | 3.7190173 | 2504                |
|                                                          | L          | Precuneus                | 19 | -30 | -68 | 42  | 3.5400841 |                     |
| 2.                                                       | L          | Middle Frontal Gyrus     | 9  | -44 | 27  | 27  | 3.7190173 | 2072                |
|                                                          | L          | Middle Frontal Gyrus     | 46 | -47 | 34  | 24  | 3.5400841 |                     |
| <b>Multiplication: Children <math>\cap</math> Adults</b> |            |                          |    |     |     |     |           |                     |
| 1.                                                       | L          | Precuneus                | 19 | -30 | -62 | 38  | 0.0141    | 704                 |
|                                                          |            | Angular Gyrus            | 39 | -32 | -56 | 36  | 0.0121    |                     |
|                                                          |            | Superior Parietal Lobule | 7  | -30 | -58 | 44  | 0.0095    |                     |
| <b>Multiplication: Children &gt; Adults</b>              |            |                          |    |     |     |     |           |                     |
| No suprathreshold clusters                               |            |                          |    |     |     |     |           |                     |
| <b>Multiplication: Adults &gt; Children</b>              |            |                          |    |     |     |     |           |                     |
| No suprathreshold clusters                               |            |                          |    |     |     |     |           |                     |

Note: Coordinates are in Talairach space; R= right; L= left; BA = Brodmann Areas; Vol=volume.

associated with separate mathematical operations in both children and adults. We identified several key findings that contribute to our understanding of the neural underpinnings of mathematical processing. Our within-group results revealed that children and adults show concordance in frontal-parietal and cingulo-opercular areas with children generally showing higher ALE scores in the later. Subtraction elicits significantly distinct concordance mainly of fronto-parietal regions, in adults, but not in children. Division remains an understudied operation and further research is needed. Theoretically, our results are consistent with general, constructive theories of cognitive development (e.g., Pascual-Leone, 1970; Pascual-Leone and Johnson, 2021). The stereotaxic coordinate maps we provide serve as a benchmark for future research with neurodevelopmental disorders as well as for individuals exhibiting exceptional mathematical proficiency.

## Funding

This article is the output of a research project implemented as a part of the Basic Research Program at the National Research University Higher School of Economics (HSE University). Author AI has received research support from The Brain Program of the IDEAS Research Center.

## CRediT authorship contribution statement

**Asya Istomina:** Writing – original draft, Visualization, Formal analysis, Conceptualization. **Marie Arsalidou:** Writing – review & editing, Supervision, Conceptualization.

## Declaration of Competing Interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

## References

- Aben, B., Calderon, C.B., Van den Bussche, E., Verguts, T., 2020. Cognitive effort modulates connectivity between dorsal anterior cingulate cortex and task-relevant cortical areas. *J. Neurosci.* 40 (19), 3838–3848. <https://doi.org/10.1523/JNEUROSCI.2948-19.2020>.
- Agostino, A., Johnson, J., Pascual-Leone, J., 2010. Executive functions underlying multiplicative reasoning: Problem type matters. *J. Exp. Child Psychol.* 105 (4), 286–305. <https://doi.org/10.1016/j.jecp.2009.09.006>.

- Amalric, M., Cantlon, J.F., 2022. Common neural functions during children's learning from naturalistic and controlled mathematics paradigms. *J. Cogn. Neurosci.* 34 (7), 1164–1182 [https://doi.org/10.1162/jocn\\_a.01848](https://doi.org/10.1162/jocn_a.01848).
- Andin, J., Fransson, P., Rönnerberg, J., Rudner, M., 2015. Phonology and arithmetic in the language–calculation network. *Brain Lang.* 143, 97–105. <https://doi.org/10.1016/j.bandl.2015.02.004>.
- Ardila, A., Bernal, B., Rosselli, M., 2017. Executive functions brain system: an activation likelihood estimation meta-analytic study. *Arch. Clin. Neuropsychol.* 33 (4), 379–405. <https://doi.org/10.1093/arclin/acx066>.
- Armbruster, D.J., Ueltzhöffer, K., Basten, U., Fiebach, C.J., 2012. Prefrontal cortical mechanisms underlying individual differences in cognitive flexibility and stability. *J. Cogn. Neurosci.* 24 (12), 2385–2399. [https://doi.org/10.1162/jocn\\_a.00286](https://doi.org/10.1162/jocn_a.00286).
- Arsalidou, M., Pascual-Leone, J., 2016. Constructivist developmental theory is needed in developmental neuroscience. *npj Sci. Learn.* 1 (1), 1–9. <https://doi.org/10.1038/npjscilearn.2016.16>.
- Arsalidou, M., Taylor, M.J., 2011. Is 2 + 2 = 4? Meta-analyses of brain areas needed for numbers and calculations. *Neuroimage* 54 (3), 2382–2393. <https://doi.org/10.1016/j.neuroimage.2010.10.009>.
- Arsalidou, M., Pascual-Leone, J., Johnson, J., Morris, D., Taylor, M.J., 2013. A balancing act of the brain: Activations and deactivations driven by cognitive load. *Brain Behav.* 3 (3), 273–285. <https://doi.org/10.1002/brb3.128>.
- Arsalidou, M., Pawliw-Levac, M., Sadeghi, M., Pascual-Leone, J., 2018. Brain areas associated with numbers and calculations in children: meta-analyses of fMRI studies. *Dev. Cogn. Neurosci.* 30, 239–250. <https://doi.org/10.1016/j.dcn.2017.08.002>.
- Ashkenazi, S., Rosenberg-Lee, M., Tenison, C., Menon, V., 2012. Weak task-related modulation and stimulus representations during arithmetic problem solving in children with developmental dyscalculia. *Dev. Cogn. Neurosci.* 2, S152–S166. <https://doi.org/10.1016/j.dcn.2011.09.006>.
- Audoin, B., Ibarrola, D., Duong, M.A., Pelletier, J., Confort-Gouny, S., Malikova, I., Ranjeva, J.P., 2005. Functional MRI study of PASAT in normal subjects. *Magn. Reson. Mater. Phys., Biol. Med.* 18, 96–102. <https://doi.org/10.1007/s10334-004-0098-9>.
- Barrouillet, P., Mignon, M., Thevenot, C., 2008. Strategies in subtraction problem solving in children. *J. Exp. Child Psychol.* 99 (4), 233–251. <https://doi.org/10.1016/j.jecp.2007.12.001>.
- Bennett, C.M., Baird, A.A., 2006. Anatomical changes in the emerging adult brain: A voxel-based morphometry study. *Hum. Brain Mapp.* 27 (9), 766–777. <https://doi.org/10.1002/hbm.20218>.
- Berteletti, I., Man, G., Booth, J.R., 2015. How number line estimation skills relate to neural activations in single digit subtraction problems. *Neuroimage* 107, 198–206. <https://doi.org/10.1016/j.neuroimage.2014.12.011>.
- Binder, J.R., 2017. Current controversies on Wernicke's area and its role in language. *Curr. Neurol. Neurosci. Rep.* 17, 1–10. <https://doi.org/10.1007/s11910-017-0764-8>.
- Bloechle, J., Huber, S., Bahnmüller, J., Rennig, J., Willmes, K., Cavdaroglu, S., Klein, E., 2016. Fact learning in complex arithmetic—the role of the angular gyrus revisited. *Hum. Brain Mapp.* 37 (9), 3061–3079 <https://doi.org/10.1002/hbm.23226>.
- Boen, R., Raud, L., Huster, R.J., 2022. Inhibitory control and the structural parcellation of the right inferior frontal gyrus. *Front. Hum. Neurosci.* 16, 787079 <https://doi.org/10.3389/fnhum.2022.787079>.
- Brignoni-Pérez, E., Matejko, A.A., Jamal, N.I., Eden, G.F., 2021. Functional neuroanatomy of arithmetic in monolingual and bilingual adults and children. *Hum. Brain Mapp.* 42 (15), 4880–4895. <https://doi.org/10.1002/hbm.25587>.
- Brown, A.A., Upton, S., Craig, S., Froeliger, B., 2023. Associations between right inferior frontal gyrus morphology and inhibitory control in individuals with nicotine dependence. *Drug Alcohol Depend.* 244, 109766 <https://doi.org/10.1016/j.drugalcdep.2023.109766>.
- Bugden, S., Woldorff, M.G., Brannon, E.M., 2019. Shared and distinct neural circuitry for nonsymbolic and symbolic double-digit addition. *Hum. Brain Mapp.* 40 (4), 1328–1343. <https://doi.org/10.1002/hbm.24452>.
- Bulthé, J., De Smedt, B., de Beeck, H.O., 2014. Format-dependent representations of symbolic and non-symbolic numbers in the human cortex as revealed by multi-voxel pattern analyses. *Neuroimage* 87, 311–322. <https://doi.org/10.1016/j.neuroimage.2013.10.049>.
- Cai, W., Ryali, S., Chen, T., Li, C.S.R., Menon, V., 2014. Dissociable roles of right inferior frontal cortex and anterior insula in inhibitory control: evidence from intrinsic and task-related functional parcellation, connectivity, and response profile analyses across multiple datasets. *J. Neurosci.* 34 (44), 14652–14667. <https://doi.org/10.1523/jneurosci.3048-14.2014>.
- Campbell, J.L., 2008. Subtraction by addition. *Mem. Cogn.* 36 (6), 1094–1102. <https://doi.org/10.3758/MC.36.6.1094>.
- Campbell, J.L., Xue, Q., 2001. Cognitive arithmetic across cultures. *J. Exp. Psychol.: Gen.* 130 (2), 299. <https://doi.org/10.1037/0096-3445.130.2.299>.
- Castaldi, E., Vignaud, A., Eger, E., 2020. Mapping subcomponents of numerical cognition in relation to functional and anatomical landmarks of human parietal cortex. *Neuroimage* 221, 117210. <https://doi.org/10.1016/j.neuroimage.2020.117210>.
- Chang, T.T., Metcalfe, A.W., Padmanabhan, A., Chen, T., Menon, V., 2016. Heterogeneous and nonlinear development of human posterior parietal cortex function. *Neuroimage* 126, 184–195. <https://doi.org/10.1016/j.neuroimage.2015.11.053>.
- Chein, J.M., Fissell, K., Jacobs, S., Fiez, J.A., 2002. Functional heterogeneity within Broca's area during verbal working memory. *Physiol. Behav.* 77 (4–5), 635–639. [https://doi.org/10.1016/s0031-9384\(02\)00899-5](https://doi.org/10.1016/s0031-9384(02)00899-5).
- Chen, Q., Yang, W., Li, W., Wei, D., Li, H., Lei, Q., Qiu, J., 2014. Association of creative achievement with cognitive flexibility by a combined voxel-based morphometry and resting-state functional connectivity study. *Neuroimage* 102, 474–483. <https://doi.org/10.1016/j.neuroimage.2014.08.008>.
- Cho, S., Metcalfe, A.W., Young, C.B., Ryali, S., Geary, D.C., Menon, V., 2012. Hippocampal–prefrontal engagement and dynamic causal interactions in the maturation of children's fact retrieval. *J. Cogn. Neurosci.* 24 (9), 1849–1866. [https://doi.org/10.1162/jocn\\_a.00246](https://doi.org/10.1162/jocn_a.00246).
- Chochon, F., Cohen, L., Van De Moortele, P.F., Dehaene, S., 1999. Differential contributions of the left and right inferior parietal lobules to number processing. *J. Cogn. Neurosci.* 11 (6), 617–630. <https://doi.org/10.1162/089892999563689>.
- Choo, Y., Matzke, D., Bowren Jr, M.D., Tranel, D., Wessel, J.R., 2022. Right inferior frontal gyrus damage is associated with impaired initiation of inhibitory control, but not its implementation. *ELife* 11, e79667. <https://doi.org/10.7554/elife.79667>.
- Clark, C.A., Hudnall, R.H., Pérez-González, S., 2020. Children's neural responses to a novel mathematics concept. *Trends Neurosci. Educ.* 20, 100128 <https://doi.org/10.1016/j.tine.2020.100128>.
- Clements, D.H., Sarama, J., 2007. Early childhood mathematics learning. *Second Handb. Res. Math. Teach. Learn.* 1, 461–555.
- Cox, R.W., 1996. AFNI: software for analysis and visualization of functional magnetic resonance neuroimages. *Comput. Biomed. Res.* 29 (3), 162–173. <https://doi.org/10.1006/cbmr.1996.0014>.
- Davis, N., Cannistraci, C.J., Rogers, B.P., Gatenby, J.C., Fuchs, L.S., Anderson, A.W., Gore, J.C., 2009b. Aberrant functional activation in school age children at-risk for mathematical disability: a functional imaging study of simple arithmetic skill. *Neuropsychologia* 47 (12), 2470–2479 <https://psycnet.apa.org/doi/10.1016/j.neuropsychologia.2009.04.024>.
- Davis, N., Cannistraci, C.J., Rogers, B.P., Gatenby, J.C., Fuchs, L.S., Anderson, A.W., Gore, J.C., 2009. The neural correlates of calculation ability in children: an fMRI study. *Magn. Reson. Imaging* 27 (9), 1187–1197. <https://doi.org/10.1016/j.mri.2009.05.010>.
- De Visscher, A., Berens, S.C., Keidel, J.L., Noël, M.P., Bird, C.M., 2015. The interference effect in arithmetic fact solving: An fMRI study. *Neuroimage* 116, 92–101. <https://doi.org/10.1016/j.neuroimage.2015.04.063>.
- De Visscher, A., Vogel, S.E., Reishofer, G., Hassler, E., Koschutnig, K., De Smedt, B., Grabner, R.H., 2018. Interference and problem size effect in multiplication fact solving: individual differences in brain activations and arithmetic performance. *Neuroimage* 172, 718–727. <https://doi.org/10.1016/j.neuroimage.2018.01.060>.
- Declercq, M., Bellon, E., Sahan, M.I., Fias, W., De Smedt, B., 2022. Arithmetic learning in children: an fMRI training study. *Neuropsychologia* 169, 108183. <https://doi.org/10.1016/j.neuropsychologia.2022.108183>.
- Dehaene, S., Spelke, E., Pinel, P., Stanescu, R., Tsivkin, S., 1999. Sources of mathematical thinking: behavioral and brain-imaging evidence. *Science* 284 (5416), 970–974. <https://doi.org/10.1126/science.284.5416.970>.
- Delazer, M., Domahs, F., Barthä, L., Brenneis, C., Lochy, A., Trieb, T., Benke, T., 2003. Learning complex arithmetic—an fMRI study. *Cogn. Brain Res.* 18 (1), 76–88. <https://doi.org/10.1016/j.cogbrainres.2003.09.005>.
- Delazer, M., Domahs, F., Lochy, A., Barthä, L., Brenneis, C., Trieb, T., 2004. The acquisition of arithmetic knowledge—an fMRI study. *Cortex a J. devoted Study Nerv. Syst. Behav.* 40 (1), 166–167. [https://doi.org/10.1016/s0010-9452\(08\)70936-5](https://doi.org/10.1016/s0010-9452(08)70936-5).
- Demir, Ö.E., Prado, J., Booth, J.R., 2015. Parental socioeconomic status and the neural basis of arithmetic: differential relations to verbal and visuo-spatial representations. *Dev. Sci.* 18 (5), 799–814. <https://doi.org/10.1111/desc.12268>.
- Demir-Lira, Ö.E., Prado, J., Booth, J.R., 2016. Neural correlates of math gains vary depending on parental socioeconomic status (SES). *Front. Psychol.* 7, 892. <https://doi.org/10.3389/fpsyg.2016.00892>.
- Demir-Lira, Ö.E., Suárez-Pellicioni, M., Binzak, J.V., Booth, J.R., 2020. Attitudes toward math are differentially related to the neural basis of multiplication depending on math skill. *Learn. Disabil. Q.* 43 (3), 179–191 <https://doi.org/10.1177/2F0731948719846608>.
- van den Heuvel, O.A., de Wit, S.J., 2018. Medial frontal hyperactivation in the developing obsessive-compulsive disorder brain: an adaptive response rescued by medication-related reduction of limbic interference? *J. Am. Acad. Child Adolesc. Psychiatry* 57 (6), 368–369. <https://doi.org/10.1016/j.jaac.2018.03.011>.
- Desco, M., Navas-Sanchez, F., Sanchez-González, J., Reig, S., Robles, O., Franco, C., et al., 2011. Mathematically gifted adolescents use more extensive and more bilateral areas of the fronto-parietal network than controls during executive functioning and fluid reasoning tasks. *Neuroimage* 57 (1), 281–292. <https://doi.org/10.1016/j.neuroimage.2011.03.063>.
- Dosenbach, N.U., Fair, D.A., Miezin, F.M., Cohen, A.L., Wenger, K.K., Dosenbach, R.A., Petersen, S.E., 2007. Distinct brain networks for adaptive and stable task control in humans. *Proc. Natl. Acad. Sci.* 104 (26), 11073–11078. <https://doi.org/10.1073/pnas.0704320104>.
- Du, F., Chen, F., Li, Y., Hu, Y., Tian, M., Zhang, H., 2013. Abacus training modulates the neural correlates of exact and approximate calculations in Chinese children: an fMRI study. *BioMed. Res. Int.* 2013 <https://doi.org/10.1155/2013/694075>.
- Duerden, E.G., Arsalidou, M., Lee, M., Taylor, M.J., 2013. Lateralization of affective processing in the insula. *Neuroimage* 78, 159–175. <https://doi.org/10.1016/j.neuroimage.2013.04.014>.
- Dumontheil, I., Brookman-Byrne, A., Tolmie, A.K., Mareschal, D., 2022. Neural and cognitive underpinnings of counterintuitive science and math reasoning in adolescence. *J. Cogn. Neurosci.* 34 (7), 1205–1229. [https://doi.org/10.1162/jocn\\_a.01854](https://doi.org/10.1162/jocn_a.01854).
- Eickhoff, S.B., Bzdok, D., Laird, A.R., Kurth, F., Fox, P.T., 2012. Activation likelihood estimation meta-analysis revisited. *Neuroimage* 59 (3), 2349–2361. <https://doi.org/10.1016/j.neuroimage.2011.09.017>.
- Eickhoff, S.B., Nichols, T.E., Laird, A.R., Hoffstaedt, F., Amunts, K., Fox, P.T., Eickhoff, C.R., 2016. Behavior, sensitivity, and power of activation likelihood estimation characterized by massive empirical simulation. *Neuroimage* 137, 70–85. <https://doi.org/10.1016/j.neuroimage.2016.04.072>.

- Eickhoff, S.B., Laird, A.R., Fox, P.M., Lancaster, J.L., Fox, P.T., 2017. Implementation errors in the GingerALE Software: description and recommendations, Vol. 38 (No. 1), 7–11. <https://doi.org/10.1002/hbm.23342>.
- Emch, M., von Bastian, C., Koch, K., 2019. Neural correlates of verbal working memory: an fMRI meta-analysis. *Front. Hum. Neurosci.* 13 <https://doi.org/10.3389/fnhum.2019.00180>.
- Entwistle, D.R., Alexander, K.L., 1989. Early schooling as a “critical period” phenomenon. *Sociol. Educ. Social.* 8, 27–55.
- Evans, T.M., Flowers, D.L., Luetje, M.M., Napoliello, E., Eden, G.F., 2016. Functional neuroanatomy of arithmetic and word reading and its relationship to age. *Neuroimage* 143, 304–315. <https://doi.org/10.1016/j.neuroimage.2016.08.048>.
- Fehr, T., Code, C., Herrmann, M., 2007. Common brain regions underlying different arithmetic operations as revealed by conjunct fMRI–BOLD activation. *Brain Res.* 1172, 93–102. <https://doi.org/10.1016/j.brainres.2007.07.043>.
- Gasquoine, P.G., 2014. Contributions of the insula to cognition and emotion. *Neuropsychol. Rev.* 24, 77–87. <https://doi.org/10.1007/s11065-014-9246-9>.
- Göbel, S.M., Terry, R., Klein, E., Hymers, M., Kaufmann, L., 2022. Impaired arithmetic fact retrieval in an adult with developmental dyscalculia: evidence from behavioral and functional brain imaging data. *Brain Sci.* 12 (6), 735. <https://doi.org/10.3390/brainsci12060735>.
- Goll, Y., Atlan, G., Citri, A., 2015. Attention: the claustrum. *Trends Neurosci.* 38 (8), 486–495. <https://doi.org/10.1016/j.tins.2015.05.006>.
- Goodman, A.M., Diggs, M.D., Balachandran, N., Kakulamari, P.S., Oster, R.A., Allendorfer, J.B., Szaflarski, J.P., 2020. Repeatability of neural and autonomic responses to acute psychosocial stress. *Front. Neurosci.* 14, 585509 <https://doi.org/10.3389/fnins.2020.585509>.
- Grabner, R.H., De Smedt, B., 2011. Neuropsychological evidence for the validity of verbal strategy reports in mental arithmetic. *Biol. Psychol.* 87 (1), 128–136. <https://doi.org/10.1016/j.biopsycho.2011.02.019>.
- Grabner, R.H., Ansari, D., Reishofer, G., Stern, E., Ebner, F., Neuper, C., 2007. Individual differences in mathematical competence predict parietal brain activation during mental calculation. *Neuroimage* 38 (2), 346–356. <https://doi.org/10.1016/j.neuroimage.2007.07.041>.
- Grabner, R.H., Ischebeck, A., Reishofer, G., Koschutnig, K., Delazer, M., Ebner, F., Neuper, C., 2009. Fact learning in complex arithmetic and figural-spatial tasks: the role of the angular gyrus and its relation to mathematical competence. *Hum. Brain Mapp.* 30 (9), 2936–2952. <https://doi.org/10.1002/hbm.20720>.
- Gratton, C., Neta, M., Sun, H., Ploran, E.J., Schlaggar, B.L., Wheeler, M.E., Nelson, S.M., 2017. Distinct stages of moment-to-moment processing in the cinguloopercular and frontoparietal networks. *Cereb. Cortex* 27 (3), 2403–2417. <https://doi.org/10.1093/cercor/bhw092>.
- Hanakawa, T., Honda, M., Okada, T., Fukuyama, H., Shibasaki, H., 2003b. Differential activity in the premotor cortex subdivisions in humans during mental calculation and verbal rehearsal tasks: a functional magnetic resonance imaging study. *Neurosci. Lett.* 347 (3), 199–201. [https://doi.org/10.1016/s0304-3940\(03\)00692-x](https://doi.org/10.1016/s0304-3940(03)00692-x).
- Hanakawa, T., Honda, M., Okada, T., Fukuyama, H., Shibasaki, H., 2003. Neural correlates underlying mental calculation in abacus experts: a functional magnetic resonance imaging study. *Neuroimage* 19 (2), 296–307. [https://doi.org/10.1016/s1053-8119\(03\)00050-8](https://doi.org/10.1016/s1053-8119(03)00050-8).
- Harada, T., Bridge, D.J., Chiao, J.Y., 2013. Dynamic social power modulates neural basis of math calculation. *Front. Hum. Neurosci.* 6, 350 <https://doi.org/10.3389/fnhum.2012.00350>.
- Hawes, Z., Sokolowski, H.M., Ononye, C.B., Ansari, D., 2019. Neural underpinnings of numerical and spatial cognition: an fMRI meta-analysis of brain regions associated with symbolic number, arithmetic, and mental rotation. *Neurosci. Biobehav. Rev.* 103, 316–336. <https://doi.org/10.1016/j.neubiorev.2019.05.007>.
- Heidekum, A.E., De Visscher, A., Vogel, S.E., De Smedt, B., Grabner, R.H., 2021. Can the interference effect in multiplication fact retrieval be modulated by an arithmetic training? An fMRI study. *Neuropsychologia* 157, 107849. <https://doi.org/10.1016/j.neuropsychologia.2021.107849>.
- Houdé, O., Rossi, S., Lubin, A., Joliot, M., 2010. Mapping numerical processing, reading, and executive functions in the developing brain: an fMRI meta-analysis of 52 studies including 842 children. *Dev. Sci.* 13 (6), 876–885. <https://doi.org/10.1111/j.1467-7687.2009.00938.x>.
- Hugdahl, K., Rund, B.R., Lund, A., Asbjørnsen, A., Egeland, J., Ersland, L., Thomsen, T., 2004. Brain activation measured with fMRI during a mental arithmetic task in schizophrenia and major depression. *Am. J. Psychiatry* 161 (2), 286–293. <https://doi.org/10.1176/appi.ajp.161.2.286>.
- Hugdahl, K., Specht, K., Biringer, E., Weis, S., Elliott, R., Hammar, Å., Lund, A., 2007. Increased parietal and frontal activation after remission from recurrent major depression: A repeated fMRI study. *Cogn. Ther. Res.* 31, 147–160. <https://doi.org/10.1007/s10608-006-9116-8>.
- Hung, Y., Gaillard, S.L., Yarmak, P., Arsalidou, M., 2018. Dissociations of cognitive inhibition, response inhibition, and emotional interference: Voxelwise ALE meta-analyses of fMRI studies. *Hum. Brain Mapp.* 39 (10), 4065–4082. <https://doi.org/10.1002/hbm.24232>.
- Ischebeck, A., Zamarian, L., Siedentopf, C., Koppeltstätter, F., Benke, T., Felber, S., Delazer, M., 2006. How specifically do we learn? Imaging the learning of multiplication and subtraction. *Neuroimage* 30 (4), 1365–1375. <https://doi.org/10.1016/j.neuroimage.2005.11.016>.
- Ischebeck, A., Zamarian, L., Egger, K., Schocke, M., Delazer, M., 2007. Imaging early practice effects in arithmetic. *Neuroimage* 36 (3), 993–1003. <https://doi.org/10.1016/j.neuroimage.2007.03.051>.
- Ischebeck, A., Zamarian, L., Schocke, M., Delazer, M., 2009. Flexible transfer of knowledge in mental arithmetic—an fMRI study. *Neuroimage* 44 (3), 1103–1112. <https://doi.org/10.1016/j.neuroimage.2008.10.025>.
- Iuculano, T., Rosenberg-Lee, M., Richardson, J., Tenison, C., Fuchs, L., Supekar, K., Menon, V., 2015. Cognitive tutoring induces widespread neuroplasticity and remediates brain function in children with mathematical learning disabilities. *Nat. Commun.* 6 (1), 8453. <https://doi.org/10.1038/ncomms9453>.
- Jäncke, L., Liem, F., Merillat, S., 2021. Are language skills related to structural features in Broca’s and Wernicke’s area? *Eur. J. Neurosci.* 53 (4), 1124–1135. <https://doi.org/10.1111/ejn.15038>.
- Jost, K., Khader, P., Burke, M., Bien, S., Rösler, F., 2009. Dissociating the solution processes of small, large, and zero multiplications by means of fMRI. *Neuroimage* 46 (1), 308–318. <https://doi.org/10.1016/j.neuroimage.2009.01.044>.
- Kanjlia, S., Lane, C., Feigenson, L., Bedny, M., 2016. Absence of visual experience modifies the neural basis of numerical thinking. *Proc. Natl. Acad. Sci.* 113 (40), 11172–11177. <https://doi.org/10.1073/pnas.1524982113>.
- Kaufmann, L., Wood, G., Rubinsten, O., Henik, A., 2011. Meta-analyses of developmental fMRI studies investigating typical and atypical trajectories of number processing and calculation. *Dev. Neuropsychol.* 36 (6), 763–787. <https://doi.org/10.1080/87565641.2010.549884>.
- Kawashima, R., Taira, M., Okita, K., Inoue, K., Tajima, N., Yoshida, H., Fukuda, H., 2004. A functional MRI study of simple arithmetic—a comparison between children and adults. *Cogn. Brain Res.* 18 (3), 227–233. <https://doi.org/10.1016/j.cogbrainres.2003.10.009>.
- Kong, J., Wang, C., Kwong, K., Vangel, M., Chua, E., Gollub, R., 2005. The neural substrate of arithmetic operations and procedure complexity. *Cogn. Brain Res.* 22 (3), 397–405. <https://doi.org/10.1016/j.cogbrainres.2004.09.011>.
- Krinzinger, H., Koten, J.W., Horoufchin, H., Kohn, N., Arndt, D., Sahr, K., Willmes, K., 2011. The role of finger representations and saccades for number processing: an fMRI study in children. *Front. Psychol.* 2, 373. <https://doi.org/10.3389/fpsyg.2011.00373>.
- Kucian, K., von Aster, M., Loenneker, T., Dietrich, T., Martin, E., 2008. Development of neural networks for exact and approximate calculation: a fMRI study. *Dev. Neuropsychol.* 33 (4), 447–473. <https://doi.org/10.1080/87565640802101474>.
- Kulik, V., Reyes, L.D., Sherwood, C.C., 2022. Coevolution of language and tools in the human brain: An ALE meta-analysis of neural activation during syntactic processing and tool use. *Prog. Brain Res.* 275, 93–115. <https://doi.org/10.1016/b.pbr.2022.10.003>.
- Kuo, B.C., Yeh, Y.Y., Chen, D.Y., Liang, K.C., Chen, J.H., 2008. The capacity constraint in the prefrontal and parietal regions for coordinating dual arithmetic tasks. *Brain Res.* 1199, 100–110. <https://doi.org/10.1016/j.brainres.2007.12.070>.
- Kwon, H., Reiss, A.L., Menon, V., 2002. Neural basis of protracted developmental changes in visuo-spatial working memory. *Proc. Natl. Acad. Sci.* 99 (20), 13336–13341. <https://doi.org/10.1073/pnas.162486399>.
- Landrø, N.I., Rund, B.R., Lund, A., Sundet, K., Mjellem, N., Asbjørnsen, A., Hugdahl, K., 2001. Honig’s model of working memory and brain activation: an fMRI study. *Neuroreport* 12 (18), 4047–4054. <https://doi.org/10.1097/00001756-200112210-00038>.
- Lemaire, P., Siegler, R.S., 1995. Four aspects of strategic change: contributions to children’s learning of multiplication. *J. Exp. Psychol.: Gen.* 124 (1), 83. <https://doi.org/10.1037/0096-3445.124.1.83>.
- Li, X., O’Sullivan, M.J., Mattingley, J.B., 2022. Delay activity during visual working memory: A meta-analysis of 30 fMRI experiments. *Neuroimage* 255, 119204. (<http://pubmed.ncbi.nlm.nih.gov/35427771/>).
- Marklund, P., Persson, J., 2012. Context-dependent switching between proactive and reactive working memory control mechanisms in the right inferior frontal gyrus. *Neuroimage* 63 (3), 1552–1560. <https://doi.org/10.1016/j.neuroimage.2012.08.016>.
- Matejko, A.A., Ansari, D., 2019. The neural association between arithmetic and basic numerical processing depends on arithmetic problem size and not chronological age. *Dev. Cogn. Neurosci.* 37, 100653 <https://doi.org/10.1016/j.dcn.2019.100653>.
- Matejko, A.A., Ansari, D., 2021. Shared neural circuits for visuospatial working memory and arithmetic in children and adults. *J. Cogn. Neurosci.* 33 (6), 1003–1019. [https://doi.org/10.1162/jocn\\_a.01695](https://doi.org/10.1162/jocn_a.01695).
- Meintjes, E.M., Jacobson, S.W., Molteno, C.D., Gatenby, J.C., Warton, C., Cannistraci, C. J., Jacobson, J.L., 2010. An fMRI study of magnitude comparison and exact addition in children. *Magn. Reson. Imaging* 28 (3), 351–362. <https://doi.org/10.1016/j.mri.2009.11.010>.
- Menon, V., Uddin, L.Q., 2010. Saliency, switching, attention and control: a network model of insula function. *Brain Struct. Funct.* 214, 655–667. <https://doi.org/10.1007/s00429-010-0262-0>.
- Metcalfe, A.W., Ashkenazi, S., Rosenberg-Lee, M., Menon, V., 2013. Fractionating the neural correlates of individual working memory components underlying arithmetic problem solving skills in children. *Dev. Cogn. Neurosci.* 6, 162–175. <https://doi.org/10.1016/j.dcn.2013.10.001>.
- Molko, N., Cachia, A., Riviere, D., Mangin, J.F., Bruandet, M., Le Bihan, D., Dehaene, S., 2003. Functional and structural alterations of the intraparietal sulcus in a developmental dyscalculia of genetic origin. *Neuron* 40 (4), 847–858. [https://doi.org/10.1016/s0896-6273\(03\)00670-6](https://doi.org/10.1016/s0896-6273(03)00670-6).
- Newman, S.D., Loughery, E., Ecklund, A., You, C., Von Werder, H., Soyul, F., 2021. Structured versus free block play: the impact on arithmetic processing. *Trends Neurosci. Educ.* 22, 100146 <https://doi.org/10.1016/j.tine.2020.100146>.
- Owen, A.M., McMillan, K.M., Laird, A.R., Bullmore, E., 2005. N-back working memory paradigm: A meta-analysis of normative functional neuroimaging studies. *Hum. Brain Mapp.* 25 (1), 46–59. <https://doi.org/10.1002/hbm.20131>.
- Page, M.J., Moher, D., Bossuyt, P.M., Boutron, I., Hoffmann, T.C., Mulrow, C.D., McKenzie, J.E., 2021. PRISMA 2020 explanation and elaboration: updated guidance and exemplars for reporting systematic reviews. *bmj* 372. <https://doi.org/10.1136/bmj.n160>.

- Pascual-Leone, J., 1970. A mathematical model for the transition rule in Piaget's developmental stages. *Acta Psychol.* 32, 301–345. [https://doi.org/10.1016/0001-6918\(70\)90108-3](https://doi.org/10.1016/0001-6918(70)90108-3).
- Pascual-Leone, J., Johnson, J., 2010. A developmental theory of mental attention: Its application to measurement and task analysis. In *Cognitive development and working memory*. Psychology Press, pp. 27–60.
- Pascual-Leone, J., & Johnson, J.M. (2021). The working mind: Meaning and mental attention in human development. MIT Press. <https://doi.org/10.7551/mitpress/13474.001.0001>.
- Peters, L., De Smedt, B., 2018. Arithmetic in the developing brain: A review of brain imaging studies. *Dev. Cogn. Neurosci.* 30, 265–279. <https://doi.org/10.1016/j.dcn.2017.05.002>.
- Peters, L., Polspoel, B., de Beeck, H.O., De Smedt, B., 2016. Brain activity during arithmetic in symbolic and non-symbolic formats in 9–12 year old children. *Neuropsychologia* 86, 19–28. <https://doi.org/10.1016/j.neuropsychologia.2016.04.001>.
- Pinel, P., Dehaene, S., 2013. Genetic and environmental contributions to brain activation during calculation. *Neuroimage* 81, 306–316. <https://doi.org/10.1016/j.neuroimage.2013.04.118>.
- Pletzer, B., 2016. Sex differences in number processing: differential systems for subtraction and multiplication were confirmed in men, but not in women. *Sci. Rep.* 6 (1), 39064. <https://doi.org/10.1038/srep39064>.
- Pollack, C., Ashby, N.C., 2018. Where arithmetic and phonology meet: the meta-analytic convergence of arithmetic and phonological processing in the brain. *Dev. Cogn. Neurosci.* 30, 251–264. <https://doi.org/10.1016/j.dcn.2017.05.003>.
- Polspoel, B., De Visscher, A., Vandermosten, M., Vogel, S.E., Grabner, R.H., De Smedt, B., 2019. The neural substrates of the problem size and interference effect in children's multiplication: an fMRI study. *Brain Res.* 1714, 147–157. <https://doi.org/10.1016/j.brainres.2019.03.002>.
- Prado, J., Lu, J., Liu, L., Dong, Q., Zhou, X., Booth, J.R., 2013. The neural bases of the multiplication problem-size effect across countries. *Front. Hum. Neurosci.* 7, 189. <https://doi.org/10.3389/fnhum.2013.00189>.
- Prado, J., Mutreja, R., Booth, J.R., 2014. Developmental dissociation in the neural responses to simple multiplication and subtraction problems. *Dev. Sci.* 17 (4), 537–552. <https://doi.org/10.1111/desc.12140>.
- Qiao, L., Xu, M., Luo, X., Zhang, L., Li, H., Chen, A., 2020. Flexible adjustment of the effective connectivity between the fronto-parietal and visual regions supports cognitive flexibility. *NeuroImage* 220, 117158. <https://doi.org/10.1016/j.neuroimage.2020.117158>.
- Qin, S., Cho, S., Chen, T., Rosenberg-Lee, M., Geary, D.C., Menon, V., 2014. Hippocampal-neocortical functional reorganization underlies children's cognitive development. *Nat. Neurosci.* 17 (9), 1263–1269. <https://doi.org/10.1038/nn.3788>.
- Rickard, T.C., Romero, S.G., Basso, G., Wharton, C., Flitman, S., Grafman, J., 2000. The calculating brain: an fMRI study. *Neuropsychologia* 38 (3), 325–335. [https://doi.org/10.1016/s0028-3932\(99\)00068-8](https://doi.org/10.1016/s0028-3932(99)00068-8).
- Rivera, S.M., Reiss, A.L., Eckert, M.A., Menon, V., 2005. Developmental changes in mental arithmetic: evidence for increased functional specialization in the left inferior parietal cortex. *Cereb. Cortex* 15 (11), 1779–1790. <https://doi.org/10.1093/cercor/bhi055>.
- Rodic, M., Cui, J., Malykh, S., Zhou, X., Gynku, E.I., Bogdanova, E.L., Kovas, Y., 2018. Cognition, emotion, and arithmetic in primary school: a cross-cultural investigation. *Br. J. Dev. Psychol.* 36 (2), 255–276. <https://doi.org/10.1111/bjdp.12248>.
- Rosenberg-Lee, M., Barth, M., Menon, V., 2011. What difference does a year of schooling make? maturation of brain response and connectivity between 2nd and 3rd grades during arithmetic problem solving. *Neuroimage* 57 (3), 796–808. <https://doi.org/10.1016/j.neuroimage.2011.05.013>.
- Rosenberg-Lee, M., Iuculano, T., Bae, S.R., Richardson, J., Qin, S., Jolles, D., Menon, V., 2018. Short-term cognitive training recapitulates hippocampal functional changes associated with one year of longitudinal skill development. *Trends Neurosci. Educ.* 10, 19–29. <https://doi.org/10.1016/j.tine.2017.12.001>.
- Rottschy, C., Langner, R., Dögan, I., Reetz, K., Laird, A.R., Schulz, J.B., Eickhoff, S.B., 2012. Modelling neural correlates of working memory: a coordinate based meta-analysis. *NeuroImage* 60, 830–846. <https://doi.org/10.1016/j.neuroimage.2011.11.050>.
- Rudebeck, P.H., Saunders, R.C., Prescott, A.T., Chau, L.S., Murray, E.A., 2013. Prefrontal mechanisms of behavioral flexibility, emotion regulation and value updating. *Nat. Neurosci.* 16 (8), 1140–1145. <https://doi.org/10.1038/nn.3440>.
- Sammer, G., Blecker, C., Gebhardt, H., Bischoff, M., Stark, R., Morgen, K., Vaitl, D., 2007. Relationship between regional hemodynamic activity and simultaneously recorded EEG-theta associated with mental arithmetic-induced workload. *Hum. Brain Mapp.* 28 (8), 793–803. <https://doi.org/10.1002/hbm.20309>.
- Schaum, M., Pinzuti, E., Sebastian, A., Lieb, K., Fries, P., Mobascher, A., Tüscher, O., 2021. Right inferior frontal gyrus implements motor inhibitory control via beta-band oscillations in humans. *Elife* 10, e61679. <https://doi.org/10.7554/eLife.61679>.
- Schimmelpenninck, J., Topczewski, J., Zajkowski, W., Jankowiak-Siuda, K., 2023. The role of the salience network in cognitive and affective deficits. *Front. Hum. Neurosci.* 17, 1133367. <https://doi.org/10.3389/fnhum.2023.1133367>.
- Schroeder, P.A., Schwippel, T., Wolz, I., Svaldi, J., 2020. Meta-analysis of the effects of transcranial direct current stimulation on inhibitory control. *Brain Stimul.* 13 (5), 1159–1167. <https://doi.org/10.1016/j.brs.2020.05.006>.
- Sebastian, A., Jung, P., Neuhoff, J., Wibrall, M., Fox, P.T., Lieb, K., Mobascher, A., 2016. Dissociable attentional and inhibitory networks of dorsal and ventral areas of the right inferior frontal cortex: a combined task-specific and coordinate-based meta-analytic fMRI study. *Brain Struct. Funct.* 221, 1635–1651. <https://doi.org/10.1007/s00429-015-0994-y>.
- Servaas, M.N., Geerligs, L., Renken, R.J., Marsman, J.B.C., Ormel, J., Riese, H., Aleman, A., 2015. Connectomics and neuroticism: an altered functional network organization. *Neuropsychopharmacology* 40 (2), 296–304. <https://doi.org/10.1038/npp.2014.169>.
- Sestieri, C., Corbetta, M., Spadone, S., Romani, G.L., Shulman, G.L., 2014. Domain-general signals in the cingulo-opercular network for visuospatial attention and episodic memory. *J. Cogn. Neurosci.* 26 (3), 551–568. <https://doi.org/10.1162/jocn.a.00504>.
- Shalev, R.S., Manor, O., Gross-Tsur, V., 2005. Developmental dyscalculia: a prospective six-year follow-up. *Dev. Med. Child Neurol.* 47 (2), 121–125. <https://doi.org/10.1017/s0012162205000216>.
- Simon, O., Mangin, J.F., Cohen, L., Le Bihan, D., Dehaene, S., 2002. Topographical layout of hand, eye, calculation, and language-related areas in the human parietal lobe. *Neuron* 33 (3), 475–487. [https://doi.org/10.1016/s0896-6273\(02\)00575-5](https://doi.org/10.1016/s0896-6273(02)00575-5).
- Sokolowski, H.M., Hawes, Z., Ansari, D., 2023. The neural correlates of retrieval and procedural strategies in mental arithmetic: A functional neuroimaging meta-analysis. *Hum. Brain Mapp.* 44 (1), 229–244. <https://doi.org/10.1002/hbm.26082>.
- Sokolowski, H.M., Matejko, A.A., Ansari, D., 2023b. The role of the angular gyrus in arithmetic processing: a literature review. *Brain Struct. Funct.* 228 (1), 293–304. <https://doi.org/10.1007/s00429-022-02594-8>.
- Soylu, F., Newman, S.D., 2016. Anatomically ordered tapping interferes more with one-digit addition than two-digit addition: a dual-task fMRI study. *Cogn. Process.* 17 (1), 67–77. <https://doi.org/10.1007/s10339-015-0737-2>.
- Soylu, F., Raymond, D., Gutierrez, A., Newman, S.D., 2018. The differential relationship between finger gnosis, and addition and subtraction: an fMRI study. *J. Numer. Cogn.* 3 (3). <https://doi.org/10.5964/jnc.v3i3.102>.
- Stanescu-Cosson, R., Pinel, P., van de Moortele, P.F., Le Bihan, D., Cohen, L., Dehaene, S., 2000. Understanding dissociations in dyscalculia: a brain imaging study of the impact of number size on the cerebral networks for exact and approximate calculation. *Brain* 123 (11), 2240–2255. <https://doi.org/10.1093/brain/123.11.2240>.
- Stocco, A., Anderson, J.R., 2008. Endogenous control and task representation: an fMRI study in algebraic problem-solving. *J. Cogn. Neurosci.* 20 (7), 1300–1314. <https://doi.org/10.1162/jocn.2008.20089>.
- Suárez-Pellicioni, M., Booth, J.R., 2022. Temporal cortex activation explains children's improvement in math attitudes. *Child Dev.* 93 (4), 1012–1029. <https://doi.org/10.1111/cdev.13749>.
- Suárez-Pellicioni, M., Demir-Lira, Ö.E., Booth, J.R., 2021. Neurocognitive mechanisms explaining the role of math attitudes in predicting children's improvement in multiplication skill. *Cogn., Affect., Behav. Neurosci.* 21, 917–935. <https://doi.org/10.3758/s13415-021-00906-9>.
- Sundby, K.K., Jana, S., Aron, A.R., 2021. Double-blind disruption of right inferior frontal cortex with TMS reduces right frontal beta power for action stopping. *J. Neurophysiol.* 125 (1), 140–153. <https://doi.org/10.1152/jn.00459.2020>.
- Tan, H.Y., Chen, Q., Goldberg, T.E., Mattay, V.S., Meyer-Lindenberg, A., Weinberger, D.R., Callicott, J.H., 2007. Catechol-O-methyltransferase Val158Met modulation of prefrontal-parietal-striatal brain systems during arithmetic and temporal transformations in working memory. *J. Neurosci.* 27 (49), 13393–13401. <https://doi.org/10.1523/JNEUROSCI.4041-07.2007>.
- Turkeltaub, P.E., Eden, G.F., Jones, K.M., Zeffiro, T.A., 2002. Meta-analysis of the functional neuroanatomy of single-word reading: method and validation. *Neuroimage* 16 (3), 765–780. <https://doi.org/10.1006/nimg.2002.1131>.
- Turkeltaub, P.E., Eickhoff, S.B., Laird, A.R., Fox, M., Wiener, M., Fox, P., 2012. Minimizing within-experiment and within-group effects in activation likelihood estimation meta-analyses. *Hum. Brain Mapp.* 33 (1), 1–13. <https://doi.org/10.1002/hbm.21186>.
- Uddin, L.Q., Nomi, J.S., Hébert-Seropian, B., Ghaziri, J., Boucher, O., 2017. Structure and function of the human insula. *J. Clin. Neurophysiol.: Off. Publ. Am. Electroencephalogr. Soc.* 34 (4), 300. <https://doi.org/10.1097/wnp.0000000000000377>.
- Van Der Auwera, S., De Smedt, B., Torbeyns, J., Verguts, G., Verschaffel, L., 2023. Subtraction by addition in young multi-digit subtraction learners: a choice/no-choice study. *J. Exp. Child Psychol.* 226, 105544. <https://doi.org/10.1016/j.jecp.2022.105544>.
- Venkatraman, V., Ansari, D., Chee, M.W., 2005. Neural correlates of symbolic and non-symbolic arithmetic. *Neuropsychologia* 43 (5), 744–753. <https://doi.org/10.1016/j.neuropsychologia.2004.08.005>.
- Venkatraman, V., Siong, S.C., Chee, M.W., Ansari, D., 2006. Effect of language switching on arithmetic: a bilingual fMRI study. *J. Cogn. Neurosci.* 18 (1), 64–74. <https://doi.org/10.1162/089929606775250030>.
- Vincent, J.L., Kahn, I., Snyder, A.Z., Raichle, M.E., Buckner, R.L., 2008. Evidence for a frontoparietal control system revealed by intrinsic functional connectivity. *J. Neurophysiol.* 100 (6), 3328–3342.
- Wakefield, E.M., Congdon, E.L., Novack, M.A., Goldin-Meadow, S., James, K.H., 2019. Learning math by hand: the neural effects of gesture-based instruction in 8-year-old children. *Atten. Percept. Psychophys.* 81, 2343–2353. <https://doi.org/10.3758/s13414-019-01755-y>.
- Wang, H., He, W., Wu, J., Zhang, J., Jin, Z., Li, L., 2019. A coordinate-based meta-analysis of the n-back working memory paradigm using activation likelihood estimation. *Brain Cogn.* 132, 1–12. <https://doi.org/10.1016/j.bandc.2019.01.002>.
- Wang, L.Q., Wang, M.S., Saito, M., 2005. Functional neuroanatomy involved in automatic order mental arithmetic and recitation of the multiplication table: A concurrent quantity processing mechanism in actual computation. *Electr. Eng. Jpn.* 153 (2), 39–44. <https://doi.org/10.1002/eej.20204>.

- Watts, T.W., Duncan, G.J., Siegler, R.S., Davis-Kean, P.E., 2014. What's past is prologue: relations between early mathematics knowledge and high school achievement. *Educ. Res.* 43 (7), 352–360. <https://doi.org/10.3102/0013189X14553660>.
- Wendiggensen, P., Beste, C., 2023. How intermittent brain states modulate neurophysiological processes in cognitive flexibility. *J. Cogn. Neurosci.* 35 (4), 749–764. [https://doi.org/10.1162/jocn\\_a\\_01970](https://doi.org/10.1162/jocn_a_01970).
- Wood, G., Nuerk, H.C., Moeller, K., Geppert, B., Schnitker, R., Weber, J., Willmes, K., 2008. All for one but not one for all: How multiple number representations are recruited in one numerical task. *Brain Res.* 1187, 154–166. <https://doi.org/10.1016/j.brainres.2007.09.094>.
- Yang, Y., Zhong, N., Imamura, K., & Lei, X. (2013). Common and Dissociable Neural Substrates for 2-Digit Simple Addition and Subtraction. In *Brain and Health Informatics: International Conference, BHI 2013*, Maebashi, Japan, October 29–31, 2013. Proceedings (pp. 92–102). Springer International Publishing. [https://doi.org/10.1007/978-3-319-02753-1\\_10](https://doi.org/10.1007/978-3-319-02753-1_10).
- Yang, Y., Zhong, N., Friston, K., Imamura, K., Lu, S., Li, M., Hu, B., 2017. The functional architectures of addition and subtraction: network discovery using fMRI and DCM. *Hum. Brain Mapp.* 38 (6), 3210–3225. <https://doi.org/10.1002/hbm.23585>.
- Yaple, Z., Stevens, W., Arsalidou, M., 2019. Meta-analyses of the n-back working memory task: fMRI evidence of age-related changes in prefrontal cortex involvement across the adult lifespan. *Neuroimage* 196, 16–31. <https://doi.org/10.1016/j.neuroimage.2019.03.074>.
- Yaple, Z.A., Tolomeo, S., Yu, R., 2021. Mapping working memory-specific dysfunction using a transdiagnostic approach. *Neuroimage: Clin.* 31, 102747 <https://doi.org/10.1016/j.nicl.2021.102747>.
- Zacharopoulos, G., Sella, F., Emir, U., Kadosh, R.C., 2023. Dissecting the chain of information processing and its interplay with neurochemicals and fluid intelligence across development. *Elife* 12, e84086. <https://doi.org/10.7554/eLife.84086>.
- Zago, L., Petit, L., Turbelin, M.R., Andersson, F., Vigneau, M., Tzourio-Mazoyer, N., 2008. How verbal and spatial manipulation networks contribute to calculation: an fMRI study. *Neuropsychologia* 46 (9), 2403–2414. <https://doi.org/10.1016/j.neuropsychologia.2008.03.001>.
- Zhou, X., Chen, C., Zang, Y., Dong, Q., Chen, C., Qiao, S., Gong, Q., 2007. Dissociated brain organization for single-digit addition and multiplication. *Neuroimage* 35 (2), 871–880. <https://doi.org/10.1016/j.neuroimage.2006.12.017>.